

Appendix C: Recommended decisions on submissions

Community drinking water supplies

*All further submissions are accepted or rejected accordingly

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S32/005		Wellington Recreational Marine Fishers Association	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Amend	Make an accurate map as this map [Map 27b] is inadequate. The Waiwhetu area has a separate ground water supply and Somes Island also has a bore for its water supply but these are not included.	Reject	Issue 7
	/						
S75/138		Minister of Conservation	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Amend	Amend Rule R92 to exclude its application to Rules R36, R87, and R88	Accept in part	Issue 4
	FS85/215	Carterton District Council		Oppose in part	Disallow		
S113/027		Michael John Slater	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S113/028		Michael John Slater	Map 27a: Groundwater community	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			drinking water supply protection areas - Wairarapa (incorporates Schedule M2)				
	/						
S113/029		Michael John Slater	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S113/030		Michael John Slater	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S125/023		Rural Residents Environmental Society Incorporated	Rule R93: All other discharges to land - discretionary activity	Support	Rule R94: Discharges of Hazardous Substances to Land _ non-complying activity. The discharge of hazardous substances onto or into land that are not permitted, controlled, restricted discretionary, discretionary is a non-complying activity.	Accept in part	Issue 4
	FS51/022	GBC Winstone		Oppose	Disallow		
S135/084		Wellington Water Limited	Policy P69: Human drinking water supplies	Amend	Amend (e) to read "treatment, operation and maintenance" or to similar effect.	Accept in part	Issue 1
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S135/151		Wellington Water Limited	Rule R76: New or upgraded on-site wastewater systems within community drinking water supply protection areas - controlled activity	Support	No change sought.	Accept	Issue 3
	/						
S135/159		Wellington Water Limited	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Amend	Change name to "Rule R92". Clarify whether this rule includes the application of agrichemicals, pesticides, poison baits, etc	Accept	Issue 4
	/						
S135/206		Wellington Water Limited	Schedule M: Community drinking water supply abstraction points	Amend	Add coordinates to Schedule M1. Include Little Huia Creek in schedule M1.	Reject	Issue 6
	/						
S135/207		Wellington Water Limited	Schedule M: Community drinking water supply abstraction points	Amend	Add coordinates to Schedule M2. Confirm or correct the WRC Well numbers.	Accept	Issue 6
	/						
S135/211		Wellington Water Limited	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley	Amend	Extend the Lower Hutt Groundwater Protection zone to cover the Hutt Catchment upstream of the infiltration zone. Delete Hutt Park Wells and insert Gear Island Wells. Extend the groundwater supply protection area to include all the valley floor to the foreshore of Wellington Harbour.	Accept in part	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			(incorporates Schedule M2)				
	/						
S136/014		Regional Public Health	Rule R76: New or upgraded on-site wastewater systems within community drinking water supply protection areas - controlled activity	Amend	That the wording of the proposed rule is amended to insert a new section "(l) where a sewer connection is unavailable".	Accept	Issue 3
	/						
S136/028		Regional Public Health	Schedule M: Community drinking water supply abstraction points	Amend	Align the Drinking Water Register and Schedule M according to the definition of a community drinking water supply abstraction point.	Accept in part	Issue 6
	FS85/007	Carterton District Council		Support in part	Allow in part		
S136/030		Regional Public Health	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Amend	[Not stated: Submitter states an amendment maybe required if there is a change to Schedule M to align with drinking water register]	Accept in part	Issue 7
	/						
S136/031		Regional Public Health	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Amend	[Not stated: Submitter states an amendment maybe required if there is a change to Schedule M to align with drinking water register]	Accept in part	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S151/015		Warren Bryant	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S151/016		Warren Bryant	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S151/017		Warren Bryant	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S151/018		Warren Bryant	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S152/008		Waa Rata Estate	Map 26: Surface water community	Amend	Make the scale of the map legible. Make it clear that only the areas specifically mapped as 'Surface Water community	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			drinking water supply protection areas (incorporates Schedule M1)		drinking water supply protection areas' are subject to the associated provisions.		
	/						
S152/020		Waa Rata Estate	Policy P69: Human drinking water supplies	Amend	Amend Policy P69 as follows: ' The More than minor adverse effects from discharges... Where <u>such</u> adverse effects cannot be avoided...'	Reject	Issue 1
	/						
S152/061		Waa Rata Estate	Rule R76: New or upgraded on-site wastewater systems within community drinking water supply protection areas - controlled activity	Amend	Delete 'gully'. Amend map scale to show the 'community drinking water supply protection area' [Map 26, 27a-c. See submission point S152/008] at a local level so it is clear where rules apply. Permit replacement of an existing system in a community drinking water supply protection area if it provides the appropriate level of wastewater treatment.	Reject	Issue 3
	/						
S152/072		Waa Rata Estate	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Support in part	Restricted discretionary activity status is supported.	Accept	Issue 4
	/						
S167/019		Sustainable Wairarapa Inc	Rule R92: All discharges to land within community drinking water protection areas - restricted	Not stated	Consider including table(s) which name streams and wetlands (or parts thereof) and listing which rule(s) apply.	Reject	Issue 4

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			discretionary activity				
	/						
S170/048		Chris Engel	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S170/049		Chris Engel	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S170/050		Chris Engel	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S170/051		Chris Engel	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S171/015		Stuart Woodman	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S171/016		Stuart Woodman	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S171/017		Stuart Woodman	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S171/018		Stuart Woodman	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S173/001		N and S Terry	Map 27a: Groundwater community	Not stated	[Resolve issue that] Map 27a does not identify 'community drinking water' supply protection areas.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			drinking water supply protection areas - Wairarapa (incorporates Schedule M2)				
	/						
S173/002		N and S Terry	5.3.2 Discharge of contaminants	Not stated	[Identify an actual environmental problem or adverse effect to be avoided, remedied or mitigated by defaulting currently permitted activities to restricted discretionary/discretionary within the 'groundwater community drink water supply protection area']	Reject	Issue 2
	/						
S173/003		N and S Terry	Policy P69: Human drinking water supplies	Not stated	[Decision requested unclear; submitter is concerned about the justification for certain restrictions within community supply protection areas]	Accept in part	Issue 1
	/						
S173/009		N and S Terry	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Oppose	Request that the rule be deleted.	Reject	Issue 4
	/						
S279/121		Rangitāne o Wairarapa Inc	Policy P69: Human drinking water supplies	Support	Retain as notified	Reject	Issue 1
	/						
S281/015		Jim, Pascoe and Henry Reynolds	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S281/016		Jim, Pascoe and Henry Reynolds	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S281/017		Jim, Pascoe and Henry Reynolds	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S281/018		Jim, Pascoe and Henry Reynolds	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S289/015		Charlotte and Toby McDonald	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S289/016		Charlotte and Toby McDonald	Map 27a: Groundwater	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)		support a controlled rule rather than discretionary.		
	/						
S289/017		Charlotte and Toby McDonald	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S289/018		Charlotte and Toby McDonald	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S290/015		Robert Kyle	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S290/016		Robert Kyle	Map 27a: Groundwater community drinking water supply protection	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			areas - Wairarapa (incorporates Schedule M2)				
	/						
S290/017		Robert Kyle	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S290/018		Robert Kyle	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S292/048		Andrew Patrick	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S292/049		Andrew Patrick	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S292/050		Andrew Patrick	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S292/051		Andrew Patrick	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S293/015		Margaret Niven	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S293/016		Margaret Niven	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S293/017		Margaret Niven	Map 27b: Groundwater	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)		support a controlled rule rather than discretionary.		
	/						
S293/018		Margaret Niven	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S293/045		Margaret Niven	Map 26: Surface water community drinking water supply protection areas (incorporates Schedule M1)	Oppose	Oppose any changes to the supply of drinking water from the river for our household and farm.	Accept in part	Issue 7
	/						
S295/052		The Carter Family	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Amend	Any provisions [Rule R92] should relate to any future lots and not existing lots subject to evidence showing that such provisions are necessary to give effect to the NPS-FW. If those provisions are not necessary they should be deleted.	Reject	Issue 4
	FS85/219	Carterton District Council		Oppose in part	Disallow		
S295/070		The Carter Family	Rule R92: All discharges to land within community	Oppose	Delete Rule 92.	Reject	Issue 4

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			drinking water protection areas - restricted discretionary activity				
	FS85/218	Carterton District Council		Oppose in part	Disallow		
	FS1/085	Waa Rata Estate		Support	Allow		
S298/015		A T McKay	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S298/016		A T McKay	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S298/017		A T McKay	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S298/018		A T McKay	Map 27c: Groundwater community drinking water supply protection	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			areas - Kapiti Coast (incorporates Schedule M2)				
	/						
S299/052		Julian and Ruth Blackett	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Amend	Any provisions [Rule R92] should relate to any future lots and not existing lots subject to evidence showing that such provisions are necessary to give effect to the NPS-FW. If those provisions are not necessary they should be deleted.	Reject	Issue 4
	/						
S299/070		Julian and Ruth Blackett	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Oppose	Delete Rule 92.	Reject	Issue 4
	/						
S301/002		Carterton District Council	Map 26: Surface water community drinking water supply protection areas (incorporates Schedule M1)	Amend	More clearly identify the extent of the Kaipatangata water supply protection area so that it is readily visible to people viewing the proposed NRP and interactive on-line maps.	Accept in part	Issue
	/						
S301/003		Carterton District Council	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates	Amend	Amend the bore references to read S26-0705; S26-0824; S26-0919, and S26-0918.	Accept	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Schedule M2)				
	/						
S301/004		Carterton District Council	Schedule M2: Groundwater community drinking water supply abstraction points	Amend	Amend the bore references to read S26-0705; S26-0824; S26-0919, and S26-0918.	Accept in part	Issue 7
	/						
S301/013		Carterton District Council	Map 26: Surface water community drinking water supply protection areas (incorporates Schedule M1)	Amend	Amend the maps to more clearly show the physical extent of the community drinking water supplies.	Accept in part	Issue 7
	/						
S301/015		Carterton District Council	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Amend	Amend the maps to more clearly show the physical extent of the community drinking water supplies. [See submission point S301/013]	Accept in part	Issue 7
	/						
S301/016		Carterton District Council	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Amend	Amend the maps to more clearly show the physical extent of the community drinking water supplies. [See submission point S301/013]	Accept in part	Issue 7
	/						
S301/017		Carterton District Council	Map 27c: Groundwater	Amend	Amend the maps to more clearly show the physical extent of the community drinking water supplies. [See submission point	Accept in part	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)		S301/013]		
	/						
S301/042		Carterton District Council	Policy P69: Human drinking water supplies	Amend	Delete the words 'to the extent practicable' from Policy P69.	Accept in part	Issue 1
	FS71/090	Horticulture NZ		Oppose	Disallow		
S302/048		Fertiliser Association of New Zealand Inc	Policy P69: Human drinking water supplies	Support	Retain	Reject	Issue 1
	/						
S302/070		Fertiliser Association of New Zealand Inc	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Support in part	Retain	Accept in part	Issue 4
	/						
S303/015		Craig and Janet Morrison	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S303/016		Craig and Janet Morrison	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Schedule M2)				
	/						
S303/017		Craig and Janet Morrison	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S303/018		Craig and Janet Morrison	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S307/046		Horticulture NZ	Policy P69: Human drinking water supplies	Amend	Amend Policy P69: The adverse effects from discharges to land and water on the quality of community drinking water supplies and group drinking water supplies shall be avoided to the extent practicable <u>through the use of good management practices.</u>	Reject	Issue 1
	/						
S307/068		Horticulture NZ	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Amend	Amend Rule R92 as follows: The discharge of contaminants onto or into land from pit latrines, wastewater systems, biosolids or farm refuse dumps that occurs within a community drinking water supply protection area and is not permitted in rules R71, R75, R77, R78 or R 89 is a restricted discretionary activity. Amend the title: Specific discharges to land within community drinking water supply protection areas	Accept in part	Issue 4

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	FS85/217	Carterton District Council		Support in part	Allow in part		
	FS74/261	Rangitāne o Wairarapa Inc		Oppose	Disallow		
S307/080		Horticulture NZ	13 Maps	Amend	Delete Maps 26, 27 27a, 27b and 27c. - Community drinking water supply protection areas and replace with community drinking water sources.	Reject	Issue 7
	FS82/035	Regional Public Health		Oppose	Disallow		
S307/081		Horticulture NZ	Schedule M: Community drinking water supply abstraction points	Amend	Delete Maps 26, 27 27a, 27b and 27c. - Community drinking water supply protection areas and replace with community drinking water sources.	Reject	Issue 7
	FS85/008	Carterton District Council		Oppose in part	Disallow		
S308/096		Fish and Game	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Amend	Rule should be discretionary or matters of discretion should be included which ensure that the objectives in section 3 including tables are achieved	Reject	Issue 4
	FS74/132	Rangitāne o Wairarapa Inc		Support	Allow		
S310/036		Ravensdown Limited	Policy P69: Human drinking water supplies	Support in part	Reword to: The adverse effects from discharges to land and water on the quality of...	Reject	Issue 1
	/						
S312/015		Taratahi Agricultural Training Centre	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S312/016		Taratahi Agricultural Training Centre	Map 27a:	Oppose	[Regarding discharge of collected animal effluent rule R83] In	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)		groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.		
	/						
S312/017		Taratahi Agricultural Training Centre	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S312/018		Taratahi Agricultural Training Centre	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S314/015		John Carred	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S314/016		John Carred	Map 27a: Groundwater community drinking water	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			supply protection areas - Wairarapa (incorporates Schedule M2)				
	/						
S314/017		John Carred	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S314/018		John Carred	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S320/021		Charlie Matthews	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S320/022		Charlie Matthews	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Schedule M2)				
	/						
S320/023		Charlie Matthews	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S320/024		Charlie Matthews	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S321/048		Edward Handyside	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S321/049		Edward Handyside	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S321/050		Edward Handyside	Map 27b:	Oppose	[Regarding discharge of collected animal effluent rule R83] In	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)		groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.		
	/						
S321/051		Edward Handyside	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S322/015		Rex McKay	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S322/016		Rex McKay	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S322/017		Rex McKay	Map 27b: Groundwater community drinking water	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			supply protection areas - Hutt Valley (incorporates Schedule M2)				
	/						
S322/018		Rex McKay	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S323/015		DW and PC McKay	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S323/016		DW and PC McKay	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S323/017		DW and PC McKay	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			(incorporates Schedule M2)				
	/						
S323/018		DW and PC McKay	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S324/015		Tim Williams	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	FS74/308	Rangitāne o Wairarapa Inc		Oppose	Disallow		
S324/016		Tim Williams	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S324/017		Tim Williams	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S324/018		Tim Williams	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S331/015		Pip Tocker	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S331/016		Pip Tocker	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S331/017		Pip Tocker	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S331/018		Pip Tocker	Map 27c: Groundwater community	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)				
	/						
S332/015		Hiwi Trust	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S332/016		Hiwi Trust	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S332/017		Hiwi Trust	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S332/018		Hiwi Trust	Map 27c: Groundwater community drinking water supply protection areas - Kapiti	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Coast (incorporates Schedule M2)				
	/						
S334/015		Alan Westbury	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S334/016		Alan Westbury	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S334/017		Alan Westbury	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S334/018		Alan Westbury	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S336/015		Andrew Thomson	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S336/016		Andrew Thomson	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S336/017		Andrew Thomson	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S336/018		Andrew Thomson	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S337/064		Bob Tosswill	Rule R93: All other discharges	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to	Reject	Issue 4

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			to land - discretionary activity		support a controlled rule rather than discretionary.		
	/						
S337/065		Bob Tosswill	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S337/066		Bob Tosswill	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S337/067		Bob Tosswill	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S339/015		Chris and Steven Price	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S339/016		Chris and Steven Price	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S339/017		Chris and Steven Price	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S339/018		Chris and Steven Price	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S341/015		David Hume	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S341/016		David Hume	Map 27a: Groundwater	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)		support a controlled rule rather than discretionary.		
	/						
S341/017		David Hume	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S341/018		David Hume	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S342/048		Gary James and Anne Marie Daysh	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S342/049		Gary James and Anne Marie Daysh	Map 27a: Groundwater community drinking water supply protection	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			areas - Wairarapa (incorporates Schedule M2)				
	/						
S342/050		Gary James and Anne Marie Daysh	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S342/051		Gary James and Anne Marie Daysh	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S342/076		Gary James and Anne Marie Daysh	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Not stated	[Resolve issue that] Map 27a does not identify 'community drinking water' supply protection areas.	Reject	Issue 7
	/						
S342/077		Gary James and Anne Marie Daysh	5.3.2 Discharge of contaminants	Not stated	[Identify an actual environmental problem or adverse effect to be avoided, remedied or mitigated by defaulting currently permitted activities to restricted discretionary/discretionary within the 'groundwater community drink water supply protection area']	Reject	Issue 2

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S342/078		Gary James and Anne Marie Daysh	Policy P69: Human drinking water supplies	Not stated	[Decision requested unclear; submitter is concerned about the justification for certain restrictions within community supply protection areas]	Accept in part	Issue 1
	/						
S342/084		Gary James and Anne Marie Daysh	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Oppose	Request that the rule be deleted.	Reject	Issue 4
	/						
S343/015		Andy Phillips	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S343/016		Andy Phillips	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S343/017		Andy Phillips	Map 27b: Groundwater community drinking water supply protection	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			areas - Hutt Valley (incorporates Schedule M2)				
	/						
S343/018		Andy Phillips	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S345/015		Alex Kyle	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S345/016		Alex Kyle	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S345/017		Alex Kyle	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Schedule M2)				
	/						
S345/018		Alex Kyle	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S347/048		Brian Bosch	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S347/049		Brian Bosch	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S347/050		Brian Bosch	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S347/051		Brian Bosch	Map 27c:	Oppose	[Regarding discharge of collected animal effluent rule R83] In	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)		groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.		
	/						
S348/015		Max Lutz	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S348/016		Max Lutz	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S348/017		Max Lutz	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S348/018		Max Lutz	Map 27c: Groundwater community drinking water	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			supply protection areas - Kapiti Coast (incorporates Schedule M2)				
	/						
S348/112		Max Lutz	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Oppose	Delete Rule 92.	Reject	Issue 4
	/						
S349/052		USNZ	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Amend	Any provisions [Rule R92] should relate to any future lots and not existing lots subject to evidence showing that such provisions are necessary to give effect to the NPS-FW. If those provisions are not necessary they should be deleted.	Reject	Issue 4
	/						
S349/070		USNZ	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Oppose	Delete Rule 92.	Reject	Issue 4
	/						
S350/027		Dan Riddiford	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S350/028		Dan Riddiford	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S350/029		Dan Riddiford	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S350/030		Dan Riddiford	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S351/052		Tim Mansell and family	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Amend	Any provisions [Rule R92] should relate to any future lots and not existing lots subject to evidence showing that such provisions are necessary to give effect to the NPS-FW. If those provisions are not necessary they should be deleted.	Reject	Issue 4

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S352/163		Federated Farmers of New Zealand	Policy P69: Human drinking water supplies	Amend	Replace with: The adverse effects from discharges to land and water on the quality of community drinking water supplies and group drinking water supplies shall be managed to avoid, remedy or mitigate to the extent practicable in accordance with the National Environmental Standards for Sources of Human Drinking Water 2007 and in consultation with the drinking water supply operator. The quality of drinking water sourced from rivers or groundwater shall be maintained or improved by: a) Source control - bore or abstraction point security and restrictions in the immediate zone b) Catchment management - assessment and prioritisation of risks in the capture zone - Examination of reasons for elevated nitrate in Riversdale, Te Ore Ore, Taratahi, Tauherenikau, Martinborough, Te Horo and Otaki	Accept in part	Issue 1
	FS89/087	Fish and Game		Oppose	Disallow		
	FS1/042	Waa Rata Estate		Support in part	Allow in part		
S352/195		Federated Farmers of New Zealand	Rule R76: New or upgraded on-site wastewater systems within community drinking water supply protection areas - controlled activity	Amend	Delete	Reject	Issue 3
	FS85/210	Carterton District Council		Oppose	Disallow		
	FS1/051	Waa Rata Estate		Support	Allow		
S352/204		Federated Farmers of New Zealand	Rule R92: All discharges to land within community	Oppose	Delete	Reject	Issue 4

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			drinking water protection areas - restricted discretionary activity				
	FS85/216	Carterton District Council		Oppose	Disallow		
	FS74/075	Rangitāne o Wairarapa Inc		Oppose	Disallow		
S352/284		Federated Farmers of New Zealand	Schedule M: Community drinking water supply abstraction points	Amend	That WRC undertake more detailed mapping and risk analysis alongside cost-benefit analysis of options for source/ treatment/zone controls, in consultation with Federated Farmers and territorial authorities, prior to the hearing to provide additional guidance to the hearing panel. That Schedule M be amended as follows, or to similar effect: Schedule M: Community Drinking Water Supply Abstraction Points Regionally important drinking water supplies: - community supplies as currently listed; and - identify priority supplies with substantive non-compliance with primary health determinands Locally important drinking water supplies: - list smaller rural supplies and - identify priority supplies where bacteriological standards are not met Groundwater drinking water quality - map domestic drinking water takes - identify priority areas with elevated groundwater nitrate relative to the standard	Accept in part	Issue 6
	FS89/017	Fish and Game		Oppose	Disallow		
	FS85/009	Carterton District Council		Neither support or oppose	Not stated		
	FS82/034	Regional Public Health		Neither support or oppose	Not stated		
S352/285		Federated Farmers of New Zealand	Map 26: Surface	Amend	See submission point S352/284	Accept in part	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			water community drinking water supply protection areas (incorporates Schedule M1)				
	/						
S352/286		Federated Farmers of New Zealand	Schedule M1: Surface water community drinking water supply abstraction points	Amend	See submission point S352/284	Accept in part	Issue 6
	FS85/010	Carterton District Council		Neither support or oppose	Not stated		
S352/287		Federated Farmers of New Zealand	Schedule M2: Groundwater community drinking water supply abstraction points	Amend	See submission point S352/284	Accept in part	Issue 6
	FS85/011	Carterton District Council		Neither support or oppose	Not stated		
S352/288		Federated Farmers of New Zealand	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Amend	See submission point S352/284	Accept in part	Issue 7
	/						
S352/289		Federated Farmers of New Zealand	Map 27b: Groundwater community drinking water supply protection	Amend	See submission point S352/284	Accept in part	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			areas - Hutt Valley (incorporates Schedule M2)				
	/						
S352/290		Federated Farmers of New Zealand	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Amend	See submission point s352/284	Accept in part	Issue 7
	/						
S354/015		Sam Orsborn	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S354/016		Sam Orsborn	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S354/017		Sam Orsborn	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Schedule M2)				
	/						
S354/018		Sam Orsborn	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S355/015		Michael Hewison	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S355/016		Michael Hewison	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S355/017		Michael Hewison	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S355/018		Michael Hewison	Map 27c:	Oppose	[Regarding discharge of collected animal effluent rule R83] In	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)		groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.		
	/						
S356/015		Mike Butterick	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S356/016		Mike Butterick	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S356/017		Mike Butterick	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S356/018		Mike Butterick	Map 27c: Groundwater community drinking water	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			supply protection areas - Kapiti Coast (incorporates Schedule M2)				
	/						
S358/001		Craig Dairy Farm Ltd	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Not stated	[Resolve issue that] Map 27a does not identify 'community drinking water' supply protection areas.	Reject	Issue 7
	/						
S358/002		Craig Dairy Farm Ltd	5.3.2 Discharge of contaminants	Not stated	[Identify an actual environmental problem or adverse effect to be avoided, remedied or mitigated by defaulting currently permitted activities to restricted discretionary/discretionary within the 'groundwater community drink water supply protection area']	Reject	Issue 2
	/						
S358/003		Craig Dairy Farm Ltd	Policy P69: Human drinking water supplies	Not stated	[Decision requested unclear; submitter is concerned about the justification for certain restrictions within community supply protection areas]	Accept in part	Issue 1
	/						
S358/009		Craig Dairy Farm Ltd	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Oppose	Request that the rule be deleted.	Reject	Issue 4
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S360/016		Kyle Wells	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S360/017		Kyle Wells	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S360/018		Kyle Wells	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Amend	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S361/049		Sandra Shivas	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S361/050		Sandra Shivas	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S361/051		Sandra Shivas	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S361/078		Sandra Shivas	Policy P69: Human drinking water supplies	Not stated	[Decision requested unclear; submitter is concerned about the justification for certain restrictions within community supply protection areas]	Accept in part	Issue 1
	/						
S361/084		Sandra Shivas	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Oppose	Request that the rule be deleted.	Reject	Issue 4
	/						
S361/094		Sandra Shivas	Map 27a: Groundwater	Amend	[Resolve issue that] Map 27a does not identify 'community drinking water' supply protection areas.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)				
	/						
S361/095		Sandra Shivas	5.3.2 Discharge of contaminants	Amend	[Identify an actual environmental problem or adverse effect to be avoided, remedied or mitigated by defaulting currently permitted activities to restricted discretionary/discretionary within the 'groundwater community drink water supply protection area']	Reject	Issue 2
	/						
S363/015		Gavin Bruce	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S363/016		Gavin Bruce	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S363/017		Gavin Bruce	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Schedule M2)				
	/						
S363/018		Gavin Bruce	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S365/077		A J Barton	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S365/078		A J Barton	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S365/079		A J Barton	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S365/080		A J Barton	Map 27c:	Oppose	[Regarding discharge of collected animal effluent rule R83] In	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)		groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.		
	/						
S366/013		South Wairarapa District Council	Map 26: Surface water community drinking water supply protection areas (incorporates Schedule M1)	Oppose	That the Maps 26 and 27 a, b, and c are amended to more clearly define the physical extent of the community drinking water supply areas. That all maps be deleted, revised for scale and accuracy, and renotified for consideration.	Accept in part	Issue 1
	/						
S366/014		South Wairarapa District Council	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	That the Maps 26 and 27 a, b, and c are amended to more clearly define the physical extent of the community drinking water supply areas. That all maps be deleted, revised for scale and accuracy, and renotified for consideration.	Accept in part	Issue 7
	/						
S366/015		South Wairarapa District Council	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	That the Maps 26 and 27 a, b, and c are amended to more clearly define the physical extent of the community drinking water supply areas. That all maps be deleted, revised for scale and accuracy, and renotified for consideration.	Accept in part	Issue 7
	/						
S366/016		South Wairarapa District Council	Map 27c: Groundwater	Oppose	That the Maps 26 and 27 a, b, and c are amended to more clearly define the physical extent of the community drinking	Accept in part	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)		water supply areas. That all maps be deleted, revised for scale and accuracy, and renotified for consideration.		
	/						
S366/112		South Wairarapa District Council	Rule R76: New or upgraded on-site wastewater systems within community drinking water supply protection areas - controlled activity	Support	Retain Rule R76	Accept	Issue 3
	/						
S366/117		South Wairarapa District Council	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Oppose	Review all of the relevant Maps relating to this rule, and confirm the level of regulation proposed (including activity status) is appropriate for the respective risk.	Accept in part	Issue 4
	/						
S367/013		Masterton District Council	Map 26: Surface water community drinking water supply protection areas (incorporates Schedule M1)	Oppose	That the Maps 26 and 27 a, b, and c are amended to more clearly define the physical extent of the community drinking water supply areas. That all maps be deleted, revised for scale and accuracy, and renotified for consideration.	Accept in part	Issue 7
	/						
S367/014		Masterton District Council	Map 27a: Groundwater community	Oppose	That the Maps 26 and 27 a, b, and c are amended to more clearly define the physical extent of the community drinking water supply areas.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			drinking water supply protection areas - Wairarapa (incorporates Schedule M2)		That all maps be deleted, revised for scale and accuracy, and renotified for consideration.		
	/						
S367/015		Masterton District Council	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	That the Maps 26 and 27 a, b, and c are amended to more clearly define the physical extent of the community drinking water supply areas. That all maps be deleted, revised for scale and accuracy, and renotified for consideration.	Accept in part	Issue 7
	/						
S367/016		Masterton District Council	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	That the Maps 26 and 27 a, b, and c are amended to more clearly define the physical extent of the community drinking water supply areas. That all maps be deleted, revised for scale and accuracy, and renotified for consideration.	Accept in part	Issue 7
	/						
S367/112		Masterton District Council	Rule R76: New or upgraded on-site wastewater systems within community drinking water supply protection areas - controlled activity	Support	Retain Rule R76	Accept	Issue 3
	/						
S367/117		Masterton District Council	Rule R92: All discharges to land	Oppose	Review all of the relevant Maps relating to this rule, and confirm the level of regulation proposed (including activity	Accept in part	Issue 4

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			within community drinking water protection areas - restricted discretionary activity		status) is appropriate for the respective risk.		
	FS53/032	Beef and Lamb NZ		Support	Allow		
S368/015		Richard Tosswill	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S368/016		Richard Tosswill	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S368/017		Richard Tosswill	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S368/018		Richard Tosswill	Map 27c: Groundwater community drinking water supply protection areas - Kapiti	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Coast (incorporates Schedule M2)				
	/						
S369/015		Richard Wilkie	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S369/016		Richard Wilkie	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S369/017		Richard Wilkie	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S369/018		Richard Wilkie	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S371/048		George Ritchie	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S371/049		George Ritchie	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S371/050		George Ritchie	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S371/051		George Ritchie	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S372/048		Leo Vollebregt	Rule R93: All other discharges	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to	Reject	Issue 4

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			to land - discretionary activity		support a controlled rule rather than discretionary.		
	/						
S372/049		Leo Vollebregt	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S372/050		Leo Vollebregt	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S372/051		Leo Vollebregt	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S373/015		Jamie Falloon	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S373/016		Jamie Falloon	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S373/017		Jamie Falloon	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S373/018		Jamie Falloon	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S374/015		Michael Taylor	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S374/016		Michael Taylor	Map 27a: Groundwater	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)		support a controlled rule rather than discretionary.		
	/						
S374/017		Michael Taylor	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S374/018		Michael Taylor	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S375/048		Graeme Hugh Tulloch	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S375/049		Graeme Hugh Tulloch	Map 27a: Groundwater community drinking water supply protection	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			areas - Wairarapa (incorporates Schedule M2)				
	/						
S375/050		Graeme Hugh Tulloch	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S375/051		Graeme Hugh Tulloch	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S376/015		James Falloon	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S376/016		James Falloon	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S376/017		James Falloon	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S376/018		James Falloon	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S377/048		Donald McCreary	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S377/049		Donald McCreary	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S377/050		Donald McCreary	Map 27b: Groundwater	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)		support a controlled rule rather than discretionary.		
	/						
S377/051		Donald McCreary	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S378/048		Lewis Herrick	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S378/049		Lewis Herrick	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S378/050		Lewis Herrick	Map 27b: Groundwater community drinking water supply protection	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			areas - Hutt Valley (incorporates Schedule M2)				
	/						
S378/051		Lewis Herrick	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S378/076		Lewis Herrick	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Not stated	[Resolve issue that] Map 27a does not identify 'community drinking water' supply protection areas.	Reject	Issue 7
	/						
S378/077		Lewis Herrick	5.3.2 Discharge of contaminants	Not stated	[Identify an actual environmental problem or adverse effect to be avoided, remedied or mitigated by defaulting currently permitted activities to restricted discretionary/discretionary within the 'groundwater community drink water supply protection area']	Reject	Issue 2
	/						
S378/078		Lewis Herrick	Policy P69: Human drinking water supplies	Not stated	[Decision requested unclear; submitter is concerned about the justification for certain restrictions within community supply protection areas]	Accept in part	Issue 1
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S378/084		Lewis Herrick	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Oppose	Request that the rule be deleted.	Reject	Issue 4
	/						
S379/015		Clayton Hartnell	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S379/016		Clayton Hartnell	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S379/017		Clayton Hartnell	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S379/018		Clayton Hartnell	Map 27c: Groundwater community drinking water	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			supply protection areas - Kapiti Coast (incorporates Schedule M2)				
	/						
S380/048		Willy and Sally Bosch	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S380/049		Willy and Sally Bosch	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S380/050		Willy and Sally Bosch	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S380/051		Willy and Sally Bosch	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			(incorporates Schedule M2)				
	/						
S386/015		Shane and Geoff Wilkinson	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S386/016		Shane and Geoff Wilkinson	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S386/017		Shane and Geoff Wilkinson	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S386/018		Shane and Geoff Wilkinson	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S387/015		Pip Wilkinson	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S387/016		Pip Wilkinson	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S387/017		Pip Wilkinson	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S387/018		Pip Wilkinson	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S388/048		Gerard Vollebregt	Rule R93: All other discharges to land -	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			discretionary activity				
	/						
S388/049		Gerard Vollebregt	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S388/050		Gerard Vollebregt	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S388/051		Gerard Vollebregt	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S389/015		Jeremy Bennill	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S389/016		Jeremy Bennill	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S389/017		Jeremy Bennill	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S389/018		Jeremy Bennill	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S390/048		Hayden Thurston	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S390/049		Hayden Thurston	Map 27a: Groundwater community	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			drinking water supply protection areas - Wairarapa (incorporates Schedule M2)				
	/						
S390/050		Hayden Thurston	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S390/051		Hayden Thurston	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S391/015		Guy Didsbury	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S391/016		Guy Didsbury	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			(incorporates Schedule M2)				
	/						
S391/017		Guy Didsbury	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S391/018		Guy Didsbury	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S392/048		Stewart Weatherstone	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S392/049		Stewart Weatherstone	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S392/050		Stewart Weatherstone	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S392/051		Stewart Weatherstone	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S393/048		Blair Roberts	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S393/049		Blair Roberts	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S393/050		Blair Roberts	Map 27b: Groundwater community	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)				
	/						
S393/051		Blair Roberts	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S394/048		Owen Butcher	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S394/049		Owen Butcher	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S394/050		Owen Butcher	Map 27b: Groundwater community drinking water supply protection areas - Hutt	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Valley (incorporates Schedule M2)				
	/						
S394/051		Owen Butcher	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S395/048		Daniel George	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S395/049		Daniel George	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S395/050		Daniel George	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S395/051		Daniel George	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S396/048		Bernie George	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S396/049		Bernie George	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S396/050		Bernie George	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S396/051		Bernie George	Map 27c: Groundwater	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)		support a controlled rule rather than discretionary.		
	/						
S397/015		Mike McCreary	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S397/016		Mike McCreary	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S397/017		Mike McCreary	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S397/018		Mike McCreary	Map 27c: Groundwater community drinking water supply protection	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			areas - Kapiti Coast (incorporates Schedule M2)				
	/						
S399/048		Sandy Bidwell	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S399/049		Sandy Bidwell	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S399/050		Sandy Bidwell	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S399/051		Sandy Bidwell	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Schedule M2)				
	/						
S400/048		Mike Moran	Rule R93: All other discharges to land - discretionary activity	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 4
	/						
S400/049		Mike Moran	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S400/050		Mike Moran	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S400/051		Mike Moran	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S401/015		Joe Hintz	Rule R93: All	Oppose	[Regarding discharge of collected animal effluent rule R83] In	Reject	Issue 4

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			other discharges to land - discretionary activity		groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.		
	/						
S401/016		Joe Hintz	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S401/017		Joe Hintz	Map 27b: Groundwater community drinking water supply protection areas - Hutt Valley (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S401/018		Joe Hintz	Map 27c: Groundwater community drinking water supply protection areas - Kapiti Coast (incorporates Schedule M2)	Oppose	[Regarding discharge of collected animal effluent rule R83] In groundwater protection areas, undertake a risk analysis to support a controlled rule rather than discretionary.	Reject	Issue 7
	/						
S426/001		Beryl Masters Stuart	Map 27a: Groundwater community drinking water	Not stated	[Resolve issue that] Map 27a does not identify 'community drinking water' supply protection areas.	Reject	Issue 7

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			supply protection areas - Wairarapa (incorporates Schedule M2)				
	/						
S426/002		Beryl Masters Stuart	5.3.2 Discharge of contaminants	Not stated	[Identify an actual environmental problem or adverse effect to be avoided, remedied or mitigated by defaulting currently permitted activities to restricted discretionary/discretionary within the 'groundwater community drink water supply protection area']	Reject	Issue 2
	/						
S426/003		Beryl Masters Stuart	Policy P69: Human drinking water supplies	Not stated	[Decision requested unclear; submitter is concerned about the justification for certain restrictions within community supply protection areas]	Accept in part	Issue 1
	/						
S426/009		Beryl Masters Stuart	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Oppose	Request that the rule be deleted.	Reject	Issue 4
	/						
S427/001		AB and DE Smith	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Not stated	[Resolve issue that] Map 27a does not identify 'community drinking water' supply protection areas.	Reject	Issue 7
	/						
S427/002		AB and DE Smith	5.3.2 Discharge of	Not stated	[Identify an actual environmental problem or adverse effect to	Reject	Issue 2

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			contaminants		be avoided, remedied or mitigated by defaulting currently permitted activities to restricted discretionary/discretionary within the 'groundwater community drink water supply protection area']		
	/						
S427/003		AB and DE Smith	Policy P69: Human drinking water supplies	Not stated	[Decision requested unclear; submitter is concerned about the justification for certain restrictions within community supply protection areas]	Accept in part	Issue 1
	/						
S427/009		AB and DE Smith	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Oppose	Request that the rule be deleted.	Reject	Issue 4
	/						
S428/001		James and Jane Smallwood	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Not stated	[Resolve issue that] Map 27a does not identify 'community drinking water' supply protection areas.	Reject	Issue 7
	/						
S428/002		James and Jane Smallwood	5.3.2 Discharge of contaminants	Not stated	[Identify an actual environmental problem or adverse effect to be avoided, remedied or mitigated by defaulting currently permitted activities to restricted discretionary/discretionary within the 'groundwater community drink water supply protection area']	Reject	Issue 2
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S428/003		James and Jane Smallwood	Policy P69: Human drinking water supplies	Not stated	[Decision requested unclear; submitter is concerned about the justification for certain restrictions within community supply protection areas]	Accept in part	Issue 1
	/						
S428/009		James and Jane Smallwood	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Oppose	Request that the rule be deleted.	Reject	Issue 4
	/						
S429/001		Blair Percy	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Not stated	[Resolve issue that] Map 27a does not identify 'community drinking water' supply protection areas.	Reject	Issue 7
	/						
S429/002		Blair Percy	5.3.2 Discharge of contaminants	Not stated	[Identify an actual environmental problem or adverse effect to be avoided, remedied or mitigated by defaulting currently permitted activities to restricted discretionary/discretionary within the 'groundwater community drink water supply protection area']	Reject	Issue 2
	/						
S429/003		Blair Percy	Policy P69: Human drinking water supplies	Not stated	[Decision requested unclear; submitter is concerned about the justification for certain restrictions within community supply protection areas]	Accept in part	Issue 1

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S429/009		Blair Percy	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Oppose	Request that the rule be deleted.	Reject	Issue 4
	/						
S430/001		Ali and Dion Kilmister	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Not stated	[Resolve issue that] Map 27a does not identify 'community drinking water' supply protection areas.	Reject	Issue 7
	/						
S430/002		Ali and Dion Kilmister	5.3.2 Discharge of contaminants	Not stated	[Identify an actual environmental problem or adverse effect to be avoided, remedied or mitigated by defaulting currently permitted activities to restricted discretionary/discretionary within the 'groundwater community drink water supply protection area']	Reject	Issue 2
	/						
S430/003		Ali and Dion Kilmister	Policy P69: Human drinking water supplies	Not stated	[Decision requested unclear; submitter is concerned about the justification for certain restrictions within community supply protection areas]	Accept in part	Issue 1
	/						
S430/009		Ali and Dion Kilmister	Rule R92: All discharges to land within community drinking water protection areas -	Oppose	Request that the rule be deleted.	Reject	Issue 4

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			restricted discretionary activity				
	/						
S431/001		Garry Daniell	Map 27a: Groundwater community drinking water supply protection areas - Wairarapa (incorporates Schedule M2)	Not stated	[Resolve issue that] Map 27a does not identify 'community drinking water' supply protection areas.	Reject	Issue 7
	/						
S431/002		Garry Daniell	5.3.2 Discharge of contaminants	Not stated	[Identify an actual environmental problem or adverse effect to be avoided, remedied or mitigated by defaulting currently permitted activities to restricted discretionary/discretionary within the 'groundwater community drink water supply protection area']	Reject	Issue 2
	/						
S431/003		Garry Daniell	Policy P69: Human drinking water supplies	Not stated	[Decision requested unclear; submitter is concerned about the justification for certain restrictions within community supply protection areas]	Accept in part	Issue 1
	/						
S431/009		Garry Daniell	Rule R92: All discharges to land within community drinking water protection areas - restricted discretionary activity	Oppose	Request that the rule be deleted.	Reject	Issue 4
	/						