

In the Environment Court
I MUA TE KOOTI TAIAO O AOTEAROA

ENV-2019-WLG-000125

In the matter

Of the Resource Management
Act 1991

And

In the matter

Of an appeal under clause 14(1)
of Schedule 1 to the Act

Between

Rangitāne o Wairarapa Inc
Appellant

And

Wellington Regional Council
Respondent

Notice of Person's Wish to be Party to Proceedings
Dated: 8 October 2019

To: The Registrar
Environment Court
Wellington
By email

Carterton District Council (CDC), wishes to be a party to the following proceedings:

ENV-2019-WLG-000125 *Rangitāne o Wairarapa Inc v Wellington Regional Council*

1. CDC made a submission and/or further submission about the subject matter of the proceedings.
2. CDC is not a trade competitor for the purposes of section 308C or 308CA of the Resource Management Act 1991.
3. CDC is interested in the following parts of these proceedings:
 - 3.1 Section 2.2 Definitions - "Drain":
 - (a) CDC opposes the appellant's requested deletion of the note.

- 3.2 Section 2.2 Definitions - "Existing Discharge":
- (a) CDC opposes the appellant's request that clause (b) of the definition be deleted.
- 3.3 Objective O50 - Discharges of wastewater containing human effluent:
- (a) CDC opposes the proposed 2030 phase-out date, allowing CDC to rely on its recently granted discharge consent for the full term of its consent.
- 3.4 Policy P62 - Promoting discharges to land:
- (a) CDC opposes the appellant's request that Policy P62 be amended to require discharge of all contaminants to land.
- 3.5 Policy P68 - Inappropriate discharges to water:
- (a) CDC opposes the appellant's request that Policy P68 be amended to require avoidance of all wet weather overflows.
- 3.6 Policy P70 - Managing point source discharges:
- (a) CDC opposes the appellant's request that improvements to existing discharges be time bound.
- 3.7 Policy P71 - Quality of point source discharges to rivers:
- (a) CDC opposes the appellant's request that numeric standards be inserted, specifically in respect of DO and temperature.
- 3.8 Policy P73 - Minimising adverse effects of stormwater discharges:
- (a) CDC opposes the appellant's request for a 2030 phase out for all wastewater discharges via stormwater.
4. CDC agrees to participate in mediation or other alternative dispute resolution of the proceedings.



RP Conner
Solicitor for Carterton District Council

Date: 8 October 2019

Address for service: Carterton District Council
c/- Hazelton Law
Level 29, Plimmer Towers
2-6 Gilmer Terrace

WELLINGTON 6011

Attention: Rachel Conner

Telephone:

(04) 4727570

Email:

Rachel.conner@hazelton.co.nz