

Appendix H: Recommended decisions on submissions

Stormwater

*All further submissions are accepted or rejected accordingly

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S4/001		Richard Anthony Featherstone	Policy P73: Minimising adverse effects of stormwater discharges	Amend	Amend P73 by adding the following matter: ... (e) requiring that councils require that kerbside containers, whether or not supplied by the council, for holding household or other refuse and material for recycling, are designed so that, even in adverse weather, the containers' contents cannot escape into stormwater networks.	Reject	Issue 2.3 Policy P73; see also s42A Officer's Report: Water Quality regarding Rule R42 and the discharge of minor contaminants
	/						
S5/001		Phyllis Sexton	5.2.3 Stormwater	Not stated	Resolve issues with contaminated stormwater being discharged onto submitter's property from WCC pipe.	Reject	Issue 7.2 Rule R49
	/						
S13/011		CT and EM Brown	Policy P73: Minimising adverse effects of stormwater discharges	Support	Include the words "and existing" after the word 'new' in clause b.	Reject	Issue 2.3 Policy P73
	FS85/171	Carterton District Council		Oppose	Disallow		
S13/012		CT and EM Brown	Policy P78: Managing stormwater from large sites	Amend	Modify clause (d) to include productive farm land.	Reject	Issue 6.2 Policy P78

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	FS68/009	Tim Mansell and family		Oppose	Disallow		
S15/001		NZ Steel	Source control	Amend	Amend definition wording to read: "Measures designed to prevent the generation of stormwater contaminants that have concentrations above the minimum level of essential elements for life and their consequential introduction into stormwater runoff, including by bunding or roofing areas at high risk of contaminating stormwater"	Reject	Issue 2.1 Definition of source control
	FS68/024	Tim Mansell and family		Support in part	Allow in part		
S27/001		Carlo Jaminola	Objective O48: Stormwater networks	Amend	Who currently manages the 3 items: (1) management storm water, (2) reduce of flooding, (3) tree planting.	Reject	Responsibilities for stormwater management are discussed in the background section of the s42A Report: Stormwater
	/						
S29/029		Powerco	Policy P73: Minimising adverse effects of stormwater discharges	Support	Retain Policy 73 without further modification.	Accept	Issue 2.3 Policy P73
	/						
S31/026		Hamish Trolove	Policy P63: Improving water quality for contact recreation and Maori customary use	Amend	Encourage stormwater storage in built up areas.	Accept in part	Issue 5 Stormwater From New Urban Areas
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S32/004		Wellington Recreational Marine Fishers Association	Schedule N: Stormwater management strategy	Amend	Rewrite section [Schedule N] to give it meaning and delete cop out phrases such as "identify other relevant objectives for which the stormwater will be managed" [as well as] the words "describe how" and "identify options" [and] the words "maintain or improve receiving water quality". The receiving water has not been defined as a stream, river or the sea. The comment says "minimise the adverse effects of wastewater interaction with stormwater" yet this has been happening all over Wellington, Porirua and the Hutt Valley for years. Schedule N lacks the tools to get councils to sort themselves out.	Reject	Issue 4 Wastewater and stormwater interactions
	FS85/013	Carterton District Council		Neither support or oppose	Not stated		
S33/018		Porirua Harbour and Catchment Community Trust	Policy P73: Minimising adverse effects of stormwater discharges	Amend	Amend policy to identify the adverse effects (such as nutrient level increases, flushing sediment and contaminants) it is targeted at.	Reject	Issue 2.3 Policy P73
	/						
S33/019		Porirua Harbour and Catchment Community Trust	Policy P73: Minimising adverse effects of stormwater discharges	Amend	Amend P73 (d) to link progressive improvement of stormwater and wastewater to measurable improvements in ecological health and harbour water quality, which would potentially add another dimension to the rules in Section 5.2.3.	Reject	Issue 2.3 Policy P73
	/						
S33/033		Porirua Harbour and Catchment Community Trust	5.2.3 Stormwater	Support in part	Amend rules to include a link to receiving water quality monitoring and standards.	Reject	Issue 7.1 Rule R48
	/						
S55/028		The Oil Companies	Policy P73: Minimising adverse effects of stormwater discharges	Support in part	Retain Policy 73 without modification.	Accept	Issue 2.3 Policy P73

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S55/029		The Oil Companies	Policy P79: Managing land use impacts on stormwater	Support	Retain Policy 79 without further modification.	Accept in part	Issue 2.4 Policy P79
	FS61/034	Minister of Conservation		Support	Disallow		
S55/048		The Oil Companies	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Modify Rule 48 as follows The discharge of stormwater into water, ... are met: (a) ... (b) the discharge is not from, onto or into contaminated land, <u>unless the stormwater does not come in contact with the contaminated land</u> except where stormwater quality from the site has been shown to meet the relevant industry good practice guide, and ...	Reject	Issue 7.1 Rule R48
	/						
S55/049		The Oil Companies	Rule R49: Stormwater to land - permitted activity	Oppose	Modify Rule 49 as follows: The discharge of stormwater ... conditions are met: (a) the discharge is not from, onto or into contaminated land, <u>unless the stormwater does not come into contact with the contaminated land</u> except where stormwater quality from the site has been shown to meet the relevant industry good practice guide, and ...	Reject	Issue 7.2 Rule R49
	/						
S62/016		Wellington Civic Trust	Policy P73: Minimising adverse effects of stormwater discharges	Support	Retain policies unchanged.	Accept	Issue 2.3 Policy P73
	/						
S62/017		Wellington Civic Trust	Policy P74: First-stage local authority network consents	Support	Retain policies unchanged.	Accept in part	Issue 3.2 First-stage local authority stormwater network consents

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S62/018		Wellington Civic Trust	Policy P75: Second-stage local authority network consents	Support	Retain policies unchanged.	Accept in part	Issue 3.3 Second-stage local authority stormwater network consents
	/						
S62/019		Wellington Civic Trust	Policy P76: Minimising wastewater and stormwater interactions	Support	Retain policies unchanged.	Accept	Issue 4.1 Policy P76
	/						
S62/020		Wellington Civic Trust	Policy P77: Assessing resource consents to discharge stormwater containing wastewater	Support	Retain policies unchanged.	Accept	Issue 4.2 Policy P77
	FS26/090	South Wairarapa District Council		Oppose	Disallow		
S62/021		Wellington Civic Trust	Policy P78: Managing stormwater from large sites	Support	Retain policies unchanged.	Accept in part	Issue 6.2 Policy P78
	/						
S62/022		Wellington Civic Trust	Policy P79: Managing land use impacts on stormwater	Support	Retain policies unchanged.	Accept in part	Issue 2.4 Policy P79
	/						
S66/017		GBC Winstone	Rule R53: All other stormwater - discretionary activity	Support	Retain the rule unchanged.	Accept	Issue 7.3 Rule R53
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S70/001		David Wilson	Rule R48: Stormwater from an individual property - permitted activity	Amend	Amend R48 by inserting the additional condition: <u>Any stormwater treatment and discharge system is operated and maintained in accordance with the system design specification for maintenance or, if there is no design specification, the requirements of Auckland Council Technical Publication 10.</u>	Reject	Issue 5 Stormwater From New Urban Areas
	/						
S70/002		David Wilson	Rule R49: Stormwater to land - permitted activity	Amend	Amend R49 by inserting an additional condition: <u>Any stormwater treatment and discharge system is operated and maintained in accordance with the system design specification for maintenance or, if there is no design specification, the requirements of Auckland Council Technical Publication 10</u>	Reject	Issue 7.2 Rule R49
	FS85/195	Carterton District Council		Oppose	Disallow		
S70/003		David Wilson	Rule R49: Stormwater to land - permitted activity	Amend	Amend R49 by inserting the following additional conditions: <ul style="list-style-type: none"> • The discharge is located at least 1 m above the seasonal highwater table that can be reasonably inferred for the site at the time the discharge system is constructed. • The discharge is not within 50 m of a bore used for water abstraction. • The discharge does not, in groundwater, render fresh water unsuitable or unpalatable for consumption by animals or humans. 	Accept in part	Issue 7.2 Rule R49
	/						
S70/004		David Wilson	Policy P74: First-stage local authority network consents	Amend	Amend Policy P74(d) so that consents issued under Rule 50 are not limited to 5 years; they need to allow time for the whitua objectives to be completed so that stormwater management plans can be developed in accordance with these objectives. Perhaps 2 years after the notification of the whitua objectives.	Reject	Issue 3.2 First-stage local authority stormwater network consents
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S70/005		David Wilson	Rule R50: Stormwater from a local authority network at plan notification - controlled activity	Amend	Amend Rule R50 so that consents durations are not limited to 5 years; they need to allow time for the whitua objectives to be completed so that stormwater management plans can be developed in accordance with these objectives. Perhaps 2 years after the notification of the whitua objectives.	Reject	Issue 3.2 First-stage local authority stormwater network consents
	FS85/196	Carterton District Council		Oppose	Disallow		
S70/006		David Wilson	Rule R52: Stormwater from large sites - restricted discretionary activity	Amend	Insert condition 2 from Rule R51 into Rule R52.	Reject	Issue 6.3 Rule R52
	/						
S70/013		David Wilson	Policy P73: Minimising adverse effects of stormwater discharges	Support	[Retain].	Accept	Issue 2.3 Policy P73
	/						
S70/014		David Wilson	Policy P74: First-stage local authority network consents	Support	[Retain excluding P74(d) as per submission point S70/004].	Accept in part	Issue 3.2 First-stage local authority stormwater network consents
	/						
S70/015		David Wilson	Policy P75: Second-stage local authority network consents	Support	[Retain].	Accept	Issue 3.3 Second-stage local authority stormwater network consents
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S70/016		David Wilson	Policy P76: Minimising wastewater and stormwater interactions	Support	[Retain].	Accept	Issue 4.1 Policy P76
	/						
S70/017		David Wilson	Policy P77: Assessing resource consents to discharge stormwater containing wastewater	Support	[Retain].	Accept	Issue 4.2 Policy P77
	/						
S70/018		David Wilson	Policy P78: Managing stormwater from large sites	Support	[Retain].	Accept	Issue 6.2 Policy P78
	/						
S70/019		David Wilson	Policy P79: Managing land use impacts on stormwater	Support	[Retain].	Accept	Issue 2.4 Policy P79
	/						
S74/044		Kairoa Farms Limited	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Amend Rule R48: Delete condition (a): no discharge into outstanding waterbodies Delete condition (e) specifying suspended solid concentrations, retain condition (g) requiring no conspicuous films, scum, floatables etc	Accept in part	Issue 7.1 Rule R48
	/						
S75/041		Minister of Conservation	Objective O48: Stormwater networks	Support	Retain as notified	Accept in part	Issue 1.2 Objective O48
	FS65/016	Land Matters Ltd		Support	Allow		
S81/020		New Zealand Defence Force	Source control	Amend	Amend the definition of source control to address [issues with how the definition of "source control" relates to sediment	Reject	Issue 2.1 Definition

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
					generation in Policy P97]. For example, removing the reference to source control approaches from this policy.		of source control
	/						
S81/021		New Zealand Defence Force	5.2.3 Stormwater	Amend	Amend the rules in section 5.2.3 to bundle the diversion of stormwater discharges with other relevant rules. OR Provide a specific rule for stormwater diversion.	Reject	Issue 7 All Other Stormwater
	/						
S81/025		New Zealand Defence Force	Rule R48: Stormwater from an individual property - permitted activity	Support	Retain the note in R48.	Accept	Issue 7.1 Rule R48
	/						
S82/026		Meridian Energy Limited	Rule R49: Stormwater to land - permitted activity	Support	Retain Rule R49	Accept	Issue 7.2 Rule R49
	/						
S82/027		Meridian Energy Limited	Rule R53: All other stormwater - discretionary activity	Amend	Make explicit provision, either in the Chapter 5.3 or 5.4 rules, for stormwater discharges to water and to land in circumstances where stormwater may enter water as permitted and controlled activities including within scheduled significant sites.	Reject	Issue 7.3 Rule R53
	/						
S85/027		Roading, Parks and Gardens and Solid Waste departments of Hutt City Council and Upper Hutt City Council	Source control	Not stated	[Revise Policy P97 and associated definitions as per submission point S85/025].	Reject	Issue 2.1 Definition of source control
	/						
S85/076		Roading, Parks and Gardens and Solid Waste departments of Hutt City Council and Upper Hutt City Council	5.2.3 Stormwater	Amend	Make the necessary amendments to clarify how [rules R48-R53] relate to stormwater runoff from the road network.	Reject	Issue 3.1 Definition of stormwater network

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	FS85/188	Carterton District Council		Support	Allow		
S88/001		Trelissick Park Group	Objective O23: Maintain or improve water quality	Amend	Amend the Plan to include a mandatory zero effects on stormwater runoff any new developments.	Accept in part	Issue 5 Stormwater From New Urban Areas
	/						
S88/002		Trelissick Park Group	Objective O25: Aquatic ecosystem health and mahinga kai	Amend	Amend the Plan to include a mandatory zero effects on stormwater runoff any new developments.	Accept in part	Issue 5 Stormwater From New Urban Areas
	/						
S88/003		Trelissick Park Group	Objective O48: Stormwater networks	Amend	Amend the Plan to include a mandatory zero effects on stormwater runoff any new developments.	Accept in part	Issue 5 Stormwater From New Urban Areas
	FS60/007	NZ Transport Agency		Oppose	Disallow		
	FS85/106	Carterton District Council		Oppose in part	Disallow		
S88/004		Trelissick Park Group	Rule R48: Stormwater from an individual property - permitted activity	Amend	Amend the Plan to include a mandatory zero effects on stormwater runoff any new developments.	Accept in part	Issue 5 Stormwater From New Urban Areas
	FS85/191	Carterton District Council		Oppose in part	Disallow		
S88/005		Trelissick Park Group	Rule R49: Stormwater to land - permitted activity	Amend	Amend the Plan to include a mandatory zero effects on stormwater runoff any new developments.	Accept in part	Issue 5 Stormwater From New Urban Areas
	FS85/194	Carterton District Council		Oppose in part	Disallow		
	FS47/024	Maypole Environmental Limited		Oppose	Disallow		
S88/006		Trelissick Park Group	Rule R50: Stormwater from	Amend	Amend the Plan to include a mandatory zero effects on stormwater runoff any new developments.	Accept in part	Issue 5 Stormwater

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			a local authority network at plan notification - controlled activity				r From New Urban Areas
	/						
S88/007		Trelissick Park Group	Rule R51: Stormwater from a local authority network two years after public notification - restricted discretionary activity	Amend	Amend the Plan to include a mandatory zero effects on stormwater runoff any new developments.	Accept in part	Issue 5 Stormwater r From New Urban Areas
	/						
S88/011		Trelissick Park Group	Policy P73: Minimising adverse effects of stormwater discharges	Amend	Amend the Plan to include a mandatory zero effects on stormwater runoff any new developments.	Accept in part	Issue 5 Stormwater r From New Urban Areas
	FS85/172	Carterton District Council		Oppose in part	Disallow		
	FS47/017	Maypole Environmental Limited		Oppose	Disallow		
S88/012		Trelissick Park Group	Policy P74: First-stage local authority network consents	Amend	Amend the Plan to include a mandatory zero effects on stormwater runoff any new developments.	Accept in part	Issue 5 Stormwater r From New Urban Areas
	/						
S88/014		Trelissick Park Group	Method M15: Regional stormwater working group	Support	[Not stated]	Accept	Issue 3.5 Method M15
	/						
S92/002		Linda Katherine Dale and Melis Leonard van de Werken	Rule R48: Stormwater from an individual property -	Amend	Either: 1/ remove exception R48(a). OR 2/ Amend the area included in Schedule A3 [See submission point S92/001].	Accept in part	Issue 7.1 Rule R48

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			permitted activity		OR 3/ Exempt /exclude properties/private stormwater outlets existing at the date of inception of the plan from the provisions of point (a) of this rule		
	/						
S99/024		Kapiti Coast Airport Holdings Limited	Policy P78: Managing stormwater from large sites	Support	Retain Policy P78 in Section 4.8.3 of the Proposed Plan as notified without modification.	Accept in part	Issue 6.2 Policy P78
	/						
S99/025		Kapiti Coast Airport Holdings Limited	Rule R48: Stormwater from an individual property - permitted activity	Amend	'Rule R48: Stormwater from an individual property - permitted activity The discharge of stormwater into water, or onto or into land where it may enter a surface water body or coastal water, from an individual property (<u>including any property that contains regionally significant infrastructure</u>) is a permitted activity, provided the following conditions are met: . . . '	Reject	Issue 7.1 Rule R48
	FS22/027	Transpower NZ Ltd		Support	Allow		
S99/026		Kapiti Coast Airport Holdings Limited	Rule R49: Stormwater to land - permitted activity	Amend	Amend Rule R49 in Section 5.2.3 'Stormwater' of the Proposed Plan as follows : 'Rule R49: Stormwater to land - permitted activity The discharge of stormwater onto or into land, including where contaminants may enter groundwater, from an individual property (<u>including any property that contains regionally significant infrastructure</u>) is a permitted activity provided the following conditions are met: '	Reject	Issue 7.2 Rule R49
	/						
S99/027		Kapiti Coast Airport Holdings Limited	Rule R52: Stormwater from large sites - restricted	Oppose	Delete Rule R52 and reference to R52 from activity table at the start of Section 5.2	Reject	Issue 6.1 The proposed Plan's

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			discretionary activity				framework for large sites
	/						
S104/001		Cuttriss Consultants Limited	Rule R50: Stormwater from a local authority network at plan notification - controlled activity	Oppose in part	In Rule R50 the provision be deleted or alternatively amended so that: -point 3 of the matters of control is a condition rather than a matter of control -If Rule R50 is retained in the plan, then a Permitted Activity Rule be inserted which provides for the construction of new discharge pipes to be constructed in areas subject to a Stormwater Management Strategy.	Accept in part	Issue 3.2 First-stage local authority stormwater network consents and Issue 5 Stormwater From New Urban Areas
	/						
S104/002		Cuttriss Consultants Limited	Rule R51: Stormwater from a local authority network two years after public notification - restricted discretionary activity	Oppose in part	In Rule R51 the provision be deleted or alternatively amended so that: -point 3 of the matters of control is a condition rather than a matter of control -If Rule R51 is retained in the plan, then a Permitted Activity Rule be inserted which provides for the construction of new discharge pipes to be constructed in areas subject to a Stormwater Management Strategy.	Accept in part	Issue 3.3 Second-stage local authority stormwater network consents and Issue 5 Stormwater From New Urban Areas
	/						
S105/003		Woodridge Homes Limited	Rule R48: Stormwater from an individual property - permitted activity	Oppose	The workability of these rules (R48, R50 and R51) and their implications for developers and District Councils needs to be further considered and explained.	Accept in part	Issue 5 Stormwater From New Urban Areas
	FS59/047	Roading, Parks and Gardens and Solid Waste departments of Hutt City Council		Oppose	Disallow		

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
		and Upper Hutt City Council					
S107/003		Upper Hutt City Council	5.2.3 Stormwater	Amend	Amend the rules as required in the submissions by Wellington Water and Tonkin and Taylor.	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S112/001		Friends of the Paekakariki Streams	Rule R48: Stormwater from an individual property - permitted activity	Amend	That any discharge of sediment or stormwater [assumed to refer to Rule R48] to the Wainui Catchment Streams (and other significant streams in the Region listed in Schedule F) is a discretionary activity (and not permitted as proposed)	Reject	Issue 5 Stormwater From New Urban Areas
	/						
S112/030		Friends of the Paekakariki Streams	Objective O48: Stormwater networks	Support	[Not stated]	Accept in part	Issue 1.2 Objective O48
	/						
S112/066		Friends of the Paekakariki Streams	Policy P73: Minimising adverse effects of stormwater discharges	Support	[Not stated]	Accept	Issue 2.3 Policy P73
	/						
S112/085		Friends of the Paekakariki Streams	Method M15: Regional stormwater working group	Support	[Not stated]	Accept	Issue 3.5 Method M15
	/						
S112/093		Friends of the Paekakariki Streams	Rule R50: Stormwater from a local authority network at plan notification -	Amend	Change to discretionary	Reject	Issue 3.2 First-stage local authority stormwater

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			controlled activity				network consents
	/						
S113/053		Michael John Slater	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S117/023		Kāpiti Coast District Council	Policy P74: First-stage local authority network consents	Amend	Remove subclause (d) "limiting resource consents granted under Rule 50 to a maximum of five years"	Reject	Issue 3.2 First-stage local authority stormwater network consents
	/						
S117/058		Kāpiti Coast District Council	Rule R50: Stormwater from a local authority network at plan notification - controlled activity	Amend	Remove "Matters of Control" point 3 "Duration of consent up to a maximum of five years"	Reject	Issue 3.2 First-stage local authority stormwater network consents
	/						
S117/059		Kāpiti Coast District Council	Rule R51: Stormwater from a local authority network two years after public notification - restricted discretionary activity	Amend	Rule 51 is categorised as "controlled"	Reject	Issue 3.3 Second-stage local authority stormwater network consents
	/						
S117/081		Kāpiti Coast District Council	Method M15: Regional stormwater	Support	Retain	Accept	Issue 3.5 Method M15

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			working group				
	/						
S121/034		CentrePort Limited (CentrePort)	Objective O48: Stormwater networks	Support	Retain Objective O48 in its current form.	Accept in part	Issue 1.2 Objective O48
	/						
S121/069		CentrePort Limited (CentrePort)	Policy P73: Minimising adverse effects of stormwater discharges	Support in part	Amend Policy P73 as follows:...(d) <u>where practicable</u> progressively improving existing stormwater, wastewater, road and other public infrastructure, including during routine maintenance and upgrade.	Reject	Issue 2.3 Policy P73
	/						
S121/070		CentrePort Limited (CentrePort)	Policy P78: Managing stormwater from large sites	Support in part	Amend Policy P78 as follows:The adverse effects of the discharge of stormwater from a port, airport or state highway, where the discharge will enter water shall be minimised by: (a) managing the discharge in order to minimise the adverse effects of stormwater discharges on aquatic ecosystem health and mahinga kai, contact recreation and Māori customary use <u>where practicable and appropriate</u> , and ...	Reject	Issue 6.2 Policy P78
	/						
S121/095		CentrePort Limited (CentrePort)	Rule R52: Stormwater from large sites - restricted discretionary activity	Support	Retain Rule R52 in its current form.	Accept in part	Issue 6.3 Rule R52
	/						
S128/002		Diane Strugnell	Rule R48: Stormwater from an individual property - permitted activity	Amend	Clarification on how a condition that contains a specific measure might be anticipated, for example, what might trigger this level of detail being sought or measured for compliance with the condition	Accept in part	Issue 7.1 Rule R48
	/						
S135/027		Wellington Water Limited	Stormwater	Amend	Broaden the definition to include water that has infiltrated and percolated through soil to a drain and includes groundwater (or	Reject	Issue 1.1 Definition

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
					to like effect). Or use the Regional Water Standards definition of "Rain water that does not percolate into the groundwater or evaporate, but flow via overland flow, interflow, channels or pipes into a defined channel, open watercourse or a constructed infiltration facility."		of stormwater
	FS71/014	Horticulture NZ		Oppose	Disallow		
S135/028		Wellington Water Limited	Stormwater network	Amend	Include to the effect of " including open watercourses where they function and are managed as part of the local authority stormwater network. " Remove "kerbs" from the definition.	Reject	Issue 3.1 Definition of stormwater network
	/						
S135/029		Wellington Water Limited	Stormwater management strategy	Amend	Change the name to Stormwater management plan. Remove references to land use planning.	Reject	Issue 3.4 Schedule N: Stormwater Management Strategy
	/						
S135/045		Wellington Water Limited	Objective O48: Stormwater networks	Amend	Specify what these adverse effects are, particularly to those of stormwater quantity. Refer to those aspects that the stormwater network managers are able to control (which does not include land use).	Reject	Issue 1.2 Objective O48
	/						
S135/063		Wellington Water Limited	Policy P63: Improving water quality for contact recreation and Maori customary use	Amend	Recognise and provide for stormwater discharges as regionally significant infrastructure, recognising the widespread long-term benefits to people and property, recognising that the discharges cannot be stopped, that the network is long-term providing and the policy should provide an expectation for the longest term consents and its effects are capable of being well characterised. In (a), clarify whether the intent should be "identified by using Method M27". Clarify whether the prominence given to stormwater inputs in (b) is justified.	Reject	Issue 3.4 Schedule N: Stormwater Management Strategy

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
					Schedule N stormwater management strategies should be amended to a risk based approach based on existing asset management practices and confine itself to matters the network operator has control over.		
	FS85/159	Carterton District Council		Support	Allow		
S135/088		Wellington Water Limited	Policy P73: Minimising adverse effects of stormwater discharges	Amend	Remove the term good management practice or clarify how it relates to normal current engineering practice or asset management systems. Remove references to techniques that are subject to decisions made under other legislation, such as the Local Government Act (bylaws) and techniques that can only happen through a district plan change. Acknowledge that non-regulatory methods are likely to be the most effective way of implementing this policy rather than rules. Amend (c) to Implementing water sensitive urban design in new subdivisions and development (where topography and soil type allow) (or like effect).	Reject	Issue 2.3 Policy P73 and Issue 5 Stormwater From New Urban Areas
	/						
S135/089		Wellington Water Limited	Policy P74: First-stage local authority network consents	Amend	The policy should focus on the effects of the discharges and not on managing the network. Amend the policy so that it is written with explicit "matters of assessment", rather than a prescription of asset management activities. The stormwater network should be recognised and protected as regionally significant infrastructure where stormwater flow cannot be stopped. Obtain information on how the network is managed from existing documentation such as asset management plans etc. Specify monitoring that directly attributes to the discharge and is certain. (C) is business as usual for managing a network and does not add anything.	Reject	Issue 3.2 First-stage local authority stormwater network consents
	FS85/174	Carterton District Council		Support in part	Allow in part		
S135/090		Wellington Water Limited	Policy P75: Second-stage local authority network consents	Amend	Make an expectation for long term consents. Re-write the policy so that it does not read like a rule, so that the list is of matters of assessment rather than solutions. (a) the Whaitua limits could be imposed onto an existing long term consent by	Reject	Issue 3.3 Second-stage local authority

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
					review clause and an enabling policy in the plan. (b) should be re-written so that stormwater is one of many influences on receiving water quality and plans contribute but are not only responsible for meeting those Whitua established objectives. (d) Remove "good management practice". Delete this subsection pending economic analysis of the impacts of land based treatment of stormwater for all new stormwater networks. (e) remove and place in relevant wastewater policy. (f) re-word to make it clear that network managers only control what is in the network.		stormwater network consents and Issue 4 Wastewater and stormwater interactions
	/						
S135/091		Wellington Water Limited	Policy P76: Minimising wastewater and stormwater interactions	Amend	Change the title to clarify the intent of "interactions". (a) delete as it is impracticable and contrary to public health objectives. It belongs in the previous policy on stormwater. As an alternative change to "reduce" or similar. (b) "from the existing sewerage system" becomes unnecessary. The word "reduce" is preferred rather than eliminate, but we need to be cautious not to overstate the ability to reduce inflow and infiltration. (c) retain term "heavy rainfall".	Reject	Issue 4.1 Policy P76
	/						
S135/092		Wellington Water Limited	Policy P78: Managing stormwater from large sites	Amend	Clarify how this policy relates to provisions about local authority stormwater networks. In accordance with recommended policy construction (Quality Planning website) change the policy to be a list of matters of environmental assessment. Clarify the use of "good management practice" or remove the term.	Reject	Issue 6.1 The proposed Plan's framework for large sites and Issue 6.2 Policy P78
	FS26/091	South Wairarapa District Council		Support	Allow		
	FS30/067	Masterton District Council		Support	Allow		
S135/093		Wellington Water Limited	Policy P79: Managing land use impacts on stormwater	Amend	Clarify whether a district plan change is intended in order to achieve this policy. Clarify that this policy is to be achieved by non-regulatory collaborative methods. (b) refer to not increasing risk rather than causing a risk. Clarify the intention and detail of "retaining as far as practicable, pre-development	Accept in part	Issue 2.4 Policy P79 and Issue 5 Stormwater

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
					hydrographs and overland flow paths".		r From New Urban Areas
	/						
S135/142		Wellington Water Limited	Rule R48: Stormwater from an individual property - permitted activity	Amend	Clarify how the rules relate to stormwater runoff from the local authority road network that goes into the local authority stormwater network.	Accept in part	Issue 3.1 Definition of stormwater network
	FS85/190	Carterton District Council		Support	Allow		
	FS30/079	Masterton District Council		Support	Allow		
	FS26/103	South Wairarapa District Council		Support	Allow		
S135/143		Wellington Water Limited	Rule R50: Stormwater from a local authority network at plan notification - controlled activity	Amend	Clarify what sort of acute effects are envisaged in matters of control "2". Clarify how the rules relate to stormwater runoff from the road network that goes into the stormwater network.	Accept in part	Issue 3.2 First-stage local authority stormwater network consents
	/						
S135/144		Wellington Water Limited	Rule R51: Stormwater from a local authority network two years after public notification - restricted discretionary activity	Oppose	Allow for maximum term with review clause to implement the Whaitua outcomes. Make it controlled status. Justify why 2 years from notification of the plan. Clarify how the rules relate to stormwater runoff from the road network that goes into the stormwater network.	Reject	Issue 3.3 Second-stage local authority stormwater network consents
	/						
S135/145		Wellington Water Limited	Rule R52: Stormwater from large sites - restricted discretionary activity	Amend	Clarify how this rule relates to local authority stormwater network rules.	Accept	Issue 6.1 The proposed Plan's framework for large sites
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S135/146		Wellington Water Limited	Rule R53: All other stormwater - discretionary activity	Amend	Clarify the situations this rule is likely to apply to.	Reject	Issue 7.3 Rule R53
	/						
S135/190		Wellington Water Limited	Method M15: Regional stormwater working group	Support	Retain.	Accept	Issue 3.5 Method M15
	/						
S135/208		Wellington Water Limited	Schedule N: Stormwater management strategy	Amend	Schedule N should be restructured to take a risk management approach that aligns with the asset management systems used to manage the stormwater networks. Wellington Water is in the process of developing such an alternative schedule and we are keen to work with GWRC to finalise it. The schedule should exclude elements of asset management and focus on providing limits and outcomes to be met. It should only include elements that network managers have in their control.	Accept in part	Issue 3.4 Schedule N: Stormwater Management Strategy and Issue 5 Stormwater From New Urban Areas
	FS26/005	South Wairarapa District Council		Support in part	Not stated		
	FS30/005	Masterton District Council		Support in part	Not stated		
	FS85/012	Carterton District Council		Neither support or oppose	Not stated		
S135/223		Wellington Water Limited	Rule R51: Stormwater from a local authority network two years after public notification - restricted discretionary activity	Amend	Second stage resource consents for discharges from stormwater networks under rule R51 are accorded controlled activity status, with an expectation of a term of 35 years with a review clause to implement the outcomes of specific whaitua processes.	Reject	Issue 3.3 Second-stage local authority stormwater network consents

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S135/224		Wellington Water Limited	Objective O48: Stormwater networks	Amend	Schedule N 'Stormwater management strategy' focus on the effects of the discharge rather than on managing the asset, and restrict itself to matters within the network manager's control.	Reject	Issue 5 Stormwater From New Urban Areas
	FS85/105	Carterton District Council		Support	Allow		
S135/225		Wellington Water Limited	Schedule N: Stormwater management strategy	Amend	Schedule N: 'Stormwater management strategy' be amended to reflect a risk based management approach consistent with the way the networks are managed and funded	Accept in part	Issue 3.4 Schedule N: Stormwater Management Strategy
	/						
S135/230		Wellington Water Limited	Entire Plan	Amend	Provisions be inserted in the proposed plan to address the different scale and nature of effects of differing activities and discharges into freshwater and in coastal water environments.	Accept in part	Issue 4 Wastewater and stormwater interactions
	/						
S135/232		Wellington Water Limited	Policy P77: Assessing resource consents to discharge stormwater containing wastewater	Amend	Re-write to state list of matters of assessment, not asset management actions. Delete reference to policy P76 and delete (c0	Reject	Issue 4.2 Policy P77
	/						
S138/004		Heather Jean Phillips	Entire Plan	Amend	[Include provisions to address the litter/rubbish/debris carried into water by flood events and ways to mitigate the sources of these pollutants in our waterways and flood zones]	Accept in part	See s42A Officer's Report: Water Quality, Issue 10.3
	/						
S140/044		Kiwi Rail Holdings Limited	Policy P73:	Support in	Amend Policy 73:The adverse effects of stormwater discharges	Reject	Issue 2.3

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Minimising adverse effects of stormwater discharges	part	shall be minimised <u>to an acceptable degree</u> , including by ...		Policy P73
	FS96/015	Queen Elizabeth II National Trust		Oppose	Disallow		
S143/006		Maypole Environmental Limited	Policy P73: Minimising adverse effects of stormwater discharges	Support	No amendments requested.	Accept	Issue 2.3 Policy P73
	/						
S143/007		Maypole Environmental Limited	Policy P79: Managing land use impacts on stormwater	Support	No amendments requested.	Accept	Issue 2.4 Policy P79
	/						
S143/008		Maypole Environmental Limited	Rule R48: Stormwater from an individual property - permitted activity	Amend	Amend Rule 48 to exclude the term "or onto land where it may enter a surface water body" so that such discharges would be captured by Rule 49. Maypole also requests: (1) an amendment to Rule 48(a) regarding stormwater discharges to Schedule A waterbodies to enable such discharges where they are low impact or certain standards with regards to effects can be met (for example, where the discharge aligns with Policies 73 and 79); and (2) an amendment to Rule 48(e) regarding discharges to Schedule F1 watercourses to enable such discharges where the discharge aligns with Policies 73 and 79.	Accept in part	Issue 7.1 Rule R48
	FS74/313	Rangitāne o Wairarapa Inc		Oppose	Disallow		
S143/009		Maypole Environmental Limited	Rule R53: All other stormwater - discretionary activity	Amend	Amend Rule 53 to exclude the term "or onto land where it may enter a surface water body" so that such discharges would be captured by Rule 49.	Reject	Issue 7.2 Rule R49
	/						
S143/028		Maypole Environmental Limited	Rule R53: All other stormwater -	Amend	No amendment sought for R53 but amendment sought for Rule 99 to clarify that it takes precedence over other rules for	Reject	Issue 7.3 Rule R53

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			discretionary activity		earthworks activities, making stormwater discharges to Te Harakeke Wetland associated with earthworks a permitted activity where the water quality standards in Rule 99(d) are met. Where these standards aren't met, discharges would rather be assessed under Rule 101 as a discretionary activity.		
	/						
S145/045		First Gas Ltd	Policy P73: Minimising adverse effects of stormwater discharges	Amend	Amend Policy 73: The adverse effects of stormwater discharges shall be minimised <u>to the extent practicable</u> , including by:	Reject	Issue 2.3 Policy P73
	/						
S145/055		First Gas Ltd	Rule R48: Stormwater from an individual property - permitted activity	Support	Retain Rule 48	Accept	Issue 7.1 Rule R48
	/						
S145/056		First Gas Ltd	Rule R53: All other stormwater - discretionary activity	Support	Retain Rule 53	Accept	Issue 7.3 Rule R53
	/						
S146/034		NZ Transport Agency	Stormwater network	Support in part	Amend the definition of stormwater network: The network of devices designed to capture, detain, treat, transport and discharge stormwater, including but not limited to kerbs, intake structures, pipes, soak pits, sumps, swales, <u>culverts</u> and constructed ponds and wetlands, and that serves more than one property.	Reject	Issue 3.1 Definition of stormwater network
	/						
S146/035		NZ Transport Agency	Stormwater management strategy	Neither support or oppose	No relief sought.	Accept	Issue 3.4 Schedule N: Stormwater

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
							Management Strategy
	/						
S146/067		NZ Transport Agency	Objective O48: Stormwater networks	Support	Retain	Accept in part	Issue 1.2 Objective O48
	/						
S146/118		NZ Transport Agency	Policy P73: Minimising adverse effects of stormwater discharges	Support in part	Amend Policy 73: The adverse effects of stormwater discharges shall be minimised <u>to the extent practicable</u> including by (d) progressively improving existing stormwater, wastewater, road and other public infrastructure, including during routine maintenance and upgrade.	Reject	Issue 2.3 Policy P73
	FS47/018	Maypole Environmental Limited		Support	Allow		
	FS43/013	Royal Forest and Bird Protection Society		Oppose	Disallow		
	FS96/050	Queen Elizabeth II National Trust		Oppose	Disallow		
S146/119		NZ Transport Agency	Policy P74: First-stage local authority network consents	Neither support or oppose	[Not stated; applies to Policy P75 as well.]	Reject	Issue 6.1 The proposed Plan's framework for large sites
	/						
S146/120		NZ Transport Agency	Policy P78: Managing stormwater from large sites	Support in part	Amend Policy 78: The adverse effects of the discharge of stormwater from a port, airport or state highway, where the discharge will enter water shall be minimised <u>to the extent practicable</u> by...	Reject	Issue 6.2 Policy P78
	FS96/051	Queen Elizabeth II National Trust		Oppose	Disallow		
	FS43/014	Royal Forest and Bird Protection Society		Oppose	Disallow		
S146/145		NZ Transport Agency	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Amend: ... (c) the discharge is not from a local authority stormwater network, a port, airport or state highway, and	Reject	Issue 7.1 Rule R48

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S146/146		NZ Transport Agency	Rule R49: Stormwater to land - permitted activity	Support	Retain	Accept	Issue 7.2 Rule R49
	/						
S146/147		NZ Transport Agency	5.2.3 Stormwater	Not stated	Add a new rule: <u>Existing permitted or otherwise lawfully established discharges of stormwater into water or onto or into land where it may enter water from a port, airport, railway or state highway existing at the date of notification of the Proposed Natural Resources Plan is a permitted activity.</u>	Reject	Issue 6.1 The proposed Plan's framework for large sites
	FS57/056	The Oil Companies		Support	Allow		
	FS15/007	Kapiti Coast Airport Holdings Limited		Support	Allow		
S146/148		NZ Transport Agency	Rule R51: Stormwater from a local authority network two years after public notification - restricted discretionary activity	Neither support or oppose	Subject to relief sought in Rule 52, no specific relief sought in respect of Rule 51.	Reject	Issue 3.3 Second-stage local authority stormwater network consents
	FS96/055	Queen Elizabeth II National Trust		Oppose in part	Disallow in part		
S146/149		NZ Transport Agency	Rule R52: Stormwater from large sites - restricted discretionary activity	Oppose	Amend Rule 52: The discharge of stormwater into water, or onto or into land where it may enter water from a port, airport or state highway <u>from the date the Natural Resources Plan became operative</u> is a restricted discretionary activity. ... <u>For the state highway, this rule shall apply on per stormwater catchment basis as opposed to the network in its entirety.</u>	Reject	Issue 6.1 The proposed Plan's framework for large sites
	FS96/056	Queen Elizabeth II National Trust		Oppose in part	Disallow in part		
S146/150		NZ Transport Agency	Rule R53: All other stormwater - discretionary	Support	Retain	Accept	Issue 7.3 Rule R53

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			activity				
	FS96/057	Queen Elizabeth II National Trust		Oppose in part	Disallow in part		
S149/001		Best Farm Limited, Hunters Hill Limited and Stebbings Farmlands Limited	Policy P79: Managing land use impacts on stormwater	Oppose	Amend P79 to recognise that retaining pre-development hydrographs and overland flow paths is not achievable in many sites in Wellington by either: 1. Deleting the final two lines of P79 (... including by retaining, as far as practicable, pre-development hydrographs and overland flow paths in new subdivision and development.), or 2. Otherwise amending P79 to recognise this.	Reject	Issue 2.4 Policy P79 and Issue 5 Stormwater From New Urban Areas
	/						
S149/002		Best Farm Limited, Hunters Hill Limited and Stebbings Farmlands Limited	Policy P73: Minimising adverse effects of stormwater discharges	Oppose	Amend P73 to recognise that water sensitive urban design may not be achievable in many sites in Wellington.	Reject	Issue 2.3 Policy P73 and Issue 5 Stormwater From New Urban Areas
	/						
S149/006		Best Farm Limited, Hunters Hill Limited and Stebbings Farmlands Limited	Policy P74: First-stage local authority network consents	Amend	Amend P74 to recognise concerns that policy approach could detrimentally affect development and growth [see original submission for details on reasons but no specified changes to policy].	Reject	Issue 5 Stormwater From New Urban Areas
	/						
S149/007		Best Farm Limited, Hunters Hill Limited and Stebbings Farmlands Limited	Policy P75: Second-stage local authority network consents	Amend	Amend P75 to recognise concerns that policy approach could detrimentally affect development and growth [see original submission for details on reasons but no specified changes to policy].	Reject	Issue 5 Stormwater From New Urban Areas
	/						
S149/015		Best Farm Limited, Hunters Hill Limited and Stebbings Farmlands Limited	Rule R48: Stormwater from	Amend	Amend R48(b) to only exclude stormwater discharges from contaminated land where the discharge is from an area(s) of	Reject	Issue 7.1 Rule R48

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
		Limited	an individual property - permitted activity		that land that is known to be contaminated.		
	FS22/026	Transpower NZ Ltd		Support	Allow		
S149/016		Best Farm Limited, Hunters Hill Limited and Stebbings Farmlands Limited	Rule R48: Stormwater from an individual property - permitted activity	Amend	Amend R48 to clarify how it applies to new subdivision.	Accept in part	Issue 5 Stormwater From New Urban Areas
	/						
S149/017		Best Farm Limited, Hunters Hill Limited and Stebbings Farmlands Limited	Rule R50: Stormwater from a local authority network at plan notification - controlled activity	Amend	Amend R50 to clarify how it applies to new infrastructure to be vested to TAs.	Accept in part	Issue 5 Stormwater From New Urban Areas
	/						
S149/018		Best Farm Limited, Hunters Hill Limited and Stebbings Farmlands Limited	Rule R51: Stormwater from a local authority network two years after public notification - restricted discretionary activity	Amend	Amend R51 to clarify how it applies to new infrastructure to be vested to TAs.	Accept in part	Issue 5 Stormwater From New Urban Areas
	/						
S151/041		Warren Bryant	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S152/049		Waa Rata Estate	Rule R48: Stormwater from an individual property - permitted activity	Amend	Clarify that water travelling through culverts for the purposes of farm tracks is not stormwater. Clarify that (e)(i) relates only to sites that are specifically mapped in the Proposed Regional Plan. It does not mean discharges on to land near a possible site/habitat or near a	Reject	Issue 7.1 Rule R48 and Issue 1.1 Definition

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
					mapped site.		of stormwater
	/						
S152/050		Waa Rata Estate	Rule R53: All other stormwater - discretionary activity	Amend	Clarify that water travelling through culverts for the purposes of farm tracks is not stormwater.	Reject	Issue 1.1 Definition of stormwater
	/						
S152/051		Waa Rata Estate	Stormwater	Amend	Exclude water travelling through culverts for the purposes of farm tracks from definition of 'stormwater'	Reject	Issue 1.1 Definition of stormwater
	/						
S162/009		Mt Victoria Residents Association Inc	4.8 Discharges to land and water	Not stated	We suggest the Rules, include conditions for resource consents for discharges of wastewater and stormwater that set financial penalties where local councils break the rules or exceed contaminant standards, and require more interventions to increase public awareness about how people's activities are polluting fresh and marine waters (such as the publicity in Porirua regarding car washing), and place controls on emissions from vehicles which are also washed into the stormwater.	Reject	Issue 3.5 Method M15
	FS85/157	Carterton District Council		Oppose	Disallow		
S162/010		Mt Victoria Residents Association Inc	Policy P73: Minimising adverse effects of stormwater discharges	Not stated	We recommend the land use Policies and Rules; require redevelopments and new developments of public and private areas to have predominantly porous surfaces, encourage the use of supplementary rainwater tanks, encourage an increase in the planting of appropriately sited trees and plants, require compensatory planting where trees are harvested or removed.	Accept in part	Issue 5 Stormwater From New Urban Areas
	/						
S163/033		Porirua City Council	Stormwater network	Not stated	[Comments on implications of including kerb and channel within the definition of stormwater network; decision requested not stated].	Reject	Issue 3.1 Definition of

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
							stormwater network
	/						
S163/069		Porirua City Council	Policy P73: Minimising effects of stormwater discharges	Amend	Put "good management practice" in bold type in subclause (a). Amend subclause (c) to read: "implementing where appropriate water sensitive urban design..." Acknowledge that non-regulatory methods are likely to be the most effective way of implementing this policy rather than rules.	Accept in part	Issue 2.3 Policy P73
	FS96/083	Queen Elizabeth II National Trust		Oppose in part	Allow		
S163/070		Porirua City Council	Policy P74: First-stage local authority network consents	Amend	Introduce a review clause to implement further limits when they are established by the whaitua process. It is requested that the term for controlled activity consents expires 5 years after the Plan is made operative.	Reject	Issue 3.2 First-stage local authority stormwater network consents
	FS96/084	Queen Elizabeth II National Trust		Oppose in part	Allow in part		
S163/071		Porirua City Council	Policy P75: Second-stage local authority network consents	Amend	Clarify the difference between stormwater management plans and stormwater management strategy. Amend subclause (d) to read: "employing land-based treatment of stormwater where practicable..."	Reject	Issue 3.3 Second-stage local authority stormwater network consents
	FS96/085	Queen Elizabeth II National Trust		Oppose in part	Disallow in part		
S163/087		Porirua City Council	Rule R48: Stormwater from an individual property - permitted activity	Amend	Restructure this rule so that there is an option to address the stormwater from individual properties as part of the global consents for the council stormwater network and associated stormwater management strategy. Clarify whether the rule applies to direct or indirect discharges	Accept in part	Issue 5 Stormwater From New Urban Areas
	FS85/193	Carterton District Council		Neither support or oppose	Not stated		
S163/088		Porirua City Council	Rule R50:	Amend	Amend condition (a) to read: "the resource consent application	Accept in part	Issue 3.2

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Stormwater from a local authority network at plan notification - controlled activity		is received within two years of the date that the Natural Resources Plan becomes operative". Introduce a review clause to implement further limits when they are established by the whitua process. Amend Item 3 in Matters of control so that the duration of controlled activity consents is a maximum of 5 years after the Plan is made operative or from the date that consent is granted, whichever is the greater.		First-stage local authority stormwater network consents
	FS26/104	South Wairarapa District Council		Support in part	Allow in part		
	FS30/080	Masterton District Council		Support	Allow		
S163/089		Porirua City Council	Rule R51: Stormwater from a local authority network two years after public notification - restricted discretionary activity	Amend	Amend the rule in accordance with the requested changes to R50, to take account of the suggested date changes. See submission point [S163/088] regarding R50. Provide a definition and guidance regarding stormwater management plans.	Reject	Issue 3.3 Second-stage local authority stormwater network consents
	FS96/088	Queen Elizabeth II National Trust		Oppose in part	Allow		
S163/090		Porirua City Council	Rule R52: Stormwater from large sites - restricted discretionary activity	Amend	Review the provisions and amend to ensure alignment between the rules for consistency of stormwater management.	Accept in part	Issue 6.1 The proposed Plan's framework for large sites
	FS96/089	Queen Elizabeth II National Trust		Oppose in part	Allow		
S163/091		Porirua City Council	Rule R53: All other stormwater - discretionary activity	Amend	Restructure the rules to allow stormwater runoff from the local authority roading network that is not connected to the council stormwater network to be addressed as part of the global consents for the council stormwater network and associated stormwater management strategy.	Accept in part	Issue 3.1 Definition of stormwater network
	FS85/198	Carterton District Council		Neither support or	Not stated		

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
				oppose			
	FS26/105	South Wairarapa District Council		Support	Allow		
	FS30/081	Masterton District Council		Support	Allow		
	FS96/090	Queen Elizabeth II National Trust		Oppose in part	Allow		
S163/154		Porirua City Council	Method M15: Regional stormwater working group	Amend	Add a new method as follows: "Integration with local authorities and developers in planning for stormwater management within overlay areas "Wellington Regional Council will work with territorial local authorities in considering stormwater management for future development proposals within urban growth planning overlay areas as part of comprehensive development plan approvals for such development."	Accept in part	Issue 3.5 Method M15 and Issue 5 Stormwater From New Urban Areas
	FS25/055	Wellington Water Limited		Support	Not stated		
S165/029		Transpower NZ Ltd	Rule R48: Stormwater from an individual property - permitted activity	Support	Retain	Accept	Issue 7.1 Rule R48
	/						
S165/030		Transpower NZ Ltd	Rule R49: Stormwater to land - permitted activity	Support	Retain	Accept	Issue 7.2 Rule R49
	/						
S165/032		Transpower NZ Ltd	Rule R53: All other stormwater - discretionary activity	Support	Retain	Accept	Issue 7.3 Rule R53
	/						
S170/074		Chris Engel	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S171/041		Stuart Woodman	Rule R48:	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Stormwater from an individual property - permitted activity				Rule R48
	/						
S273/004		Spencer Holmes Limited	Rule R50: Stormwater from a local authority network at plan notification - controlled activity	Oppose	Delete or significantly amend Rules R50 and R51 to clarify how they relate to new infrastructure	Accept in part	Issue 5 Stormwater From New Urban Areas
	/						
S273/010		Spencer Holmes Limited	Policy P73: Minimising effects of stormwater discharges	Amend	Amend P73 and P79 to consider willingness of TAs to own infrastructure requirement, topography and associated costs	Reject	Issue 2.3 Policy P73 and Issue 5 Stormwater From New Urban Areas
	/						
S273/011		Spencer Holmes Limited	Policy P74: First-stage local authority network consents	Amend	Amend P74 and P75 to recognise challenges of topography and water sensitive urban design methods	Reject	Issue 5 Stormwater From New Urban Areas
	/						
S273/013		Spencer Holmes Limited	Rule R48: Stormwater from an individual property - permitted activity	Amend	Retain the TSS limit. Amend the rule to clarify its application to subdivisions.	Accept in part	Issue 5 Stormwater From New Urban Areas
	/						
S276/017		Holcim (New Zealand) Ltd	Rule R53: All other stormwater - discretionary activity	Oppose	Amend R53 to establish that infringements of permitted activity performance standards are a restricted discretionary activity, and insert appropriate matters of discretion and assessment criteria.	Reject	Issue 7.3 Rule R53

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S279/058		Rangitāne o Wairarapa Inc	Objective O48: Stormwater networks	Amend	Amend the objective to provide a clear time-bound outcome statement within the objective, such as ... to a level consistent with achieving the objectives and limits in this Plan, and to avoid, remedy and mitigate local adverse effects on life-supporting capacity, mahinga kai, and significant sites.	Reject	Issue 1.2 Objective O48
	/						
S279/123		Rangitāne o Wairarapa Inc	Policy P73: Minimising adverse effects of stormwater discharges	Amend	To ensure the Plan is directive in the regard, the policies should include dates by which the outcomes will be achieved. That includes a date by which existing contamination of stormwater from wastewater networks is resolved. The discharge of human sewage via stormwater discharges to water is not appropriate and should be resolved as soon as practicable and not later than by 2030.	Reject	Issue 4 Wastewater and stormwater interactions
	FS85/173	Carterton District Council		Support in part	Allow in part		
	FS26/088	South Wairarapa District Council		Oppose	Disallow		
	FS30/065	Masterton District Council		Oppose	Disallow		
S279/170		Rangitāne o Wairarapa Inc	Rule R48: Stormwater from an individual property - permitted activity	Amend	Rule (e)(i) needs to be expanded to incorporate adequate protection of all sites of significance including: Schedule A, B, C, F, H	Accept in part	Issue 7.1 Rule R48
	/						
S279/171		Rangitāne o Wairarapa Inc	Rule R50: Stormwater from a local authority network at plan notification - controlled activity	Oppose	Delete the rule and instead apply the restricted discretionary activity rule R51 to municipal stormwater discharges immediately.	Reject	Issue 3.2 First-stage local authority stormwater network consents
	/						
S279/172		Rangitāne o Wairarapa Inc	Rule R51:	Amend	Amend to apply from the date the Plan was notified.	Reject	Issue 3.3

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Stormwater from a local authority network two years after public notification - restricted discretionary activity				Second-stage local authority stormwater network consents
	/						
S279/173		Rangitāne o Wairarapa Inc	Rule R52: Stormwater from large sites - restricted discretionary activity	Support	Retain as notified	Accept	Issue 6.3 Rule R52
	/						
S279/243		Rangitāne o Wairarapa Inc	Policy P74: First-stage local authority network consents	Amend	[see submission point s279/123]	Reject	Issue 3.2 First-stage local authority stormwater network consents
	/						
S279/244		Rangitāne o Wairarapa Inc	Policy P75: Second-stage local authority network consents	Amend	[see submission point s279/123]	Reject	Issue 3.3 Second-stage local authority stormwater network consents
	/						
S279/245		Rangitāne o Wairarapa Inc	Policy P76: Minimising wastewater and stormwater interactions	Amend	[see submission point s279/123]	Reject	Issue 4.1 Policy P76
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S279/246		Rangitāne o Wairarapa Inc	Policy P78: Managing stormwater from large sites	Amend	[see submission point s279/123]	Reject	Issue 6.2 Policy P78
	/						
S280/041		Jan and Jock Richmond	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S281/041		Jim, Pascoe and Henry Reynolds	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S282/045		Wellington International Airport Limited	Policy P78: Managing stormwater from large sites	Amend	Amend policy to confirm that improvement is only necessary where there is wastewater discharge issue, rather than applying to high-performing and low-performing sites equally.	Reject	Issue 6.2 Policy P78
	/						
S282/056		Wellington International Airport Limited	Rule R52: Stormwater from large sites - restricted discretionary activity	Amend	Delete sub clause 3 of R52	Reject	Issue 6.3 Rule R52
	/						
S285/062		Land Matters Ltd	Rule R48: Stormwater from an individual property - permitted activity	Amend	Delete R48.	Reject	Issue 7.1 Rule R48
	/						
S286/013		Wellington City Council	Policy P73: Minimising adverse effects of	Amend	Amend Policy P73 to state: The adverse effects of stormwater quantity and quality shall be minimised including by: (c) Implementing water sensitive urban design in new	Reject	Issue 2.3 Policy P73 and Issue

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			stormwater discharges		subdivisions and development (unless it can be demonstrated that it is not appropriate due to topography or soil type)		5 Stormwater From New Urban Areas
	/						
S286/043		Wellington City Council	5.2.3 Stormwater	Amend	Clarify how Rules 48-53 relate to stormwater runoff from the roading network and ensure that a resource consent for stormwater run-off is not required.	Accept in part	Issue 3.1 Definition of stormwater network
	FS85/189	Carterton District Council		Support	Allow		
	FS26/102	South Wairarapa District Council		Support	Allow		
	FS30/078	Masterton District Council		Support	Allow		
	FS59/046	Roading, Parks and Gardens and Solid Waste departments of Hutt City Council and Upper Hutt City Council		Support	Allow		
S289/041		Charlotte and Toby McDonald	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S290/041		Robert Kyle	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S292/074		Andrew Patrick	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S293/041		Margaret Niven	Rule R48: Stormwater from	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			an individual property - permitted activity				
	/						
S294/017		Bell Camp Trust	Policy P73: Minimising adverse effects of stormwater discharges	Amend	Amend the following provisions: Policy P63: Improving water quality for contact recreation and maori customary use... Note: Whaitua committees will identify methods and timeframes to improve water quality in all first and second priority water bodies listed in Schedule H2 (priority water bodies) within their whaitua. These may be incorporated into the Plan by a future plan change or variation.	Reject	Issue 2.3 Policy P73
	/						
S294/062		Bell Camp Trust	Rule R48: Stormwater from an individual property - permitted activity	Amend	Delete R48.	Reject	Issue 7.1 Rule R48
	/						
S295/062		The Carter Family	Rule R48: Stormwater from an individual property - permitted activity	Amend	Delete R48.	Reject	Issue 7.1 Rule R48
	FS85/192	Carterton District Council		Oppose	Disallow		
	FS1/098	Waa Rata Estate		Support	Allow		
S298/041		A T McKay	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S299/062		Julian and Ruth Blackett	Rule R48:	Amend	Delete R48.	Reject	Issue 7.1

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Stormwater from an individual property - permitted activity				Rule R48
	/						
S301/005		Carterton District Council	Schedule N: Stormwater management strategy	Oppose	Delete or preface Schedule N as "preliminary" until the requirements are agreed with territorial local authorities following the workshop process suggested by Method M15.	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S301/023		Carterton District Council	Water sensitive urban design	Amend	Reword the second-to-last sentence of the definition as follows: "WSUD manages stormwater at its source <u>as one of the tools</u> to control runoff and water quality. The terms low impact design, low impact urban design and water sensitive design are often used synonymously with WSUD."	Accept	Issue 2.2 Definition of water sensitive urban design
	/						
S301/034		Carterton District Council	Objective O48: Stormwater networks	Amend	Amend Objective O48 by replacing the word 'effects' with 'significant adverse environmental effects'.	Reject	Issue 1.2 Objective O48
	/						
S301/046		Carterton District Council	Policy P73: Minimising adverse effects of stormwater discharges	Oppose	Delete Policy P73 or amend it to clarify that it addresses significant adverse effects of stormwater only (if there are any in particular case).	Reject	Issue 2.3 Policy P73
	FS30/063	Masterton District Council		Support	Allow		
	FS26/086	South Wairarapa District Council		Support	Allow		
S301/047		Carterton District Council	Policy P74: First-stage local authority network consents	Oppose	Delete Policies P74 and P75 or preface them as "preliminary" until such time as the consultation process envisaged by Method M15 has been concluded.	Reject	Issue 3.6 Concerns with the proposed two-staged global

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
							consenting approach
	/						
S301/048		Carterton District Council	Policy P75: Second-stage local authority network consents	Oppose	Delete Policies P74 and P75 or preface them as "preliminary" until such time as the consultation process envisaged by Method M15 has been concluded. [See submission point S301/047].	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S301/049		Carterton District Council	Policy P77: Assessing resource consents to discharge stormwater containing wastewater	Oppose in part	Delete Policies P74 and P75 or preface them as "preliminary" until such time as the consultation process envisaged by Method M15 has been concluded. [See submission point S301/047].	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S301/050		Carterton District Council	Policy P79: Managing land use impacts on stormwater	Oppose in part	Delete Policies P74 and P75 or preface them as "preliminary" until such time as the consultation process envisaged by Method M15 has been concluded. [See submission point S301/047].	Reject	Issue 2.4 Policy P79
	/						
S301/051		Carterton District Council	Policy P76: Minimising wastewater and stormwater interactions	Oppose	Delete Policy P76 or preface it as "preliminary" until the consultation process envisaged by Method M15 has been concluded.	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S301/056		Carterton District Council	Rule R50: Stormwater from	Oppose	Delete Rules R50 and R51 or preface them as "preliminary" until the consultation process envisaged by Method M15 has	Reject	Issue 3.6 Concerns

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			a local authority network at plan notification - controlled activity		been concluded.		with the proposed two-staged global consenting approach
	/						
S301/057		Carterton District Council	Rule R51: Stormwater from a local authority network two years after public notification - restricted discretionary activity	Oppose	Delete Rules R50 and R51 or preface them as "preliminary" until the consultation process envisaged by Method M15 has been concluded. [See submission point S301/056].	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S302/050		Fertiliser Association of New Zealand Inc	Policy P73: Minimising adverse effects of stormwater discharges	Support in part	Amend Policy P73 as follows:The adverse effects of stormwater discharges shall be minimised <u>managed</u> , including by:....	Reject	Issue 2.3 Policy P73
	/						
S302/056		Fertiliser Association of New Zealand Inc	5.2.2 Water discharges	Support	Retain Rules R48, R49 and R53 as notified.	Accept in part	Issue 7 All Other Stormwater
	/						
S303/041		Craig and Janet Morrison	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S309/029		Ngā Hapū o Ōtaki	4.8 Discharges to land and water	Support	Support policies on stormwater (section 4.8.3)	Accept	Issue 7 All Other Stormwater

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S309/034		Ngā Hapū o Ōtaki	Rule R48: Stormwater from an individual property - permitted activity	Amend	Amend value of minor discharges to 30g/m3 in all waterways. Include Nga Taonga Nui a Kiwa (Schedule b) in subsections (e) and (i)	Reject	Issue 7.1 Rule R48
	/						
S309/048		Ngā Hapū o Ōtaki	Method M15: Regional stormwater working group	Oppose in part	Method is amended to read: ' <u>WRC will work together with mana whenua, city and district councils in a regional stormwater working group to;</u>	Accept	Issue 3.5 Method M15
	FS26/133	South Wairarapa District Council		Oppose	Disallow		
	FS74/213	Rangitāne o Wairarapa Inc		Support	Allow		
S310/037		Ravensdown Limited	Policy P73: Minimising adverse effects of stormwater discharges	Support in part	Reword to: The adverse effects of stormwater discharges shall be minimised avoided, remedied or mitigated, including by:...	Reject	Issue 2.3 Policy P73
	/						
S311/026		Beef and Lamb NZ	Stormwater	Not stated	[See submission points S311/023, S311/024 and S311/025]	Reject	Issue 1.1 Definition of stormwater
	/						
S312/041		Taratahi Agricultural Training Centre	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S314/041		John Carred	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S316/096		DairyNZ and Fonterra Co-operative	Rule R48:	Amend	Amend Rule R48 (a) as follows: "(a) the discharge is not	Reject	Issue 7.1

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
		Group Limited	Stormwater from an individual property - permitted activity		directly into a site identified in Schedule A (outstanding water bodies), and"		Rule R48
	FS71/137	Horticulture NZ		Support	Allow		
	FS47/023	Maypole Environmental Limited		Support	Allow		
S316/097		DairyNZ and Fonterra Co-operative Group Limited	Rule R49: Stormwater to land - permitted activity	Support	Retain Rule R49.	Accept	Issue 7.2 Rule R49
	/						
S320/047		Charlie Matthews	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S321/074		Edward Handyside	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S322/041		Rex McKay	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S323/041		DW and PC McKay	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S324/041		Tim Williams	Rule R48: Stormwater from	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			an individual property - permitted activity				
	/						
S326/004		Te Runanga o Toa Rangatira Inc	Policy P74: First-stage local authority network consents	Support	Not stated	Accept	Issue 3.2 First-stage local authority stormwater network consents
	/						
S326/005		Te Runanga o Toa Rangatira Inc	Policy P77: Assessing resource consents to discharge stormwater containing wastewater	Support	[Not stated]	Accept	Issue 4.2 Policy P77
	/						
S326/010		Te Runanga o Toa Rangatira Inc	Rule R50: Stormwater from a local authority network at plan notification - controlled activity	Amend	lwi should be part of the notification process	Reject	Issue 3.2 First-stage local authority stormwater network consents
	FS85/197	Carterton District Council		Oppose	Disallow		
S326/011		Te Runanga o Toa Rangatira Inc	Rule R51: Stormwater from a local authority network two years after public notification - restricted discretionary activity	Support	Not stated	Accept	Issue 3.3 Second-stage local authority stormwater network consents
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S331/041		Pip Tocker	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S332/041		Hiwi Trust	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S334/041		Alan Westbury	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S336/041		Andrew Thomson	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S337/090		Bob Tosswill	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S339/041		Chris and Steven Price	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S341/041		David Hume	Rule R48: Stormwater from	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			an individual property - permitted activity				
	/						
S342/074		Gary James and Anne Marie Daysh	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S343/041		Andy Phillips	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S345/041		Alex Kyle	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S346/062		Waikanae Christian Holiday Park (El Rancho)	Rule R48: Stormwater from an individual property - permitted activity	Amend	Delete R48. If retained, submitter requests that Rule 48(a) be deleted relating to discharges in Schedule A sites. If retained in current form, submitter requests that any resource consents required under this rule be a restricted discretionary activity with discretion reserved to the effects on scheduled site.	Reject	Issue 7.1 Rule R48
	/						
S347/074		Brian Bosch	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S348/041		Max Lutz	Rule R48:	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Stormwater from an individual property - permitted activity				Rule R48
	/						
S348/139		Max Lutz	Rule R48: Stormwater from an individual property - permitted activity	Amend	Delete Rule 48.	Reject	Issue 7.1 Rule R48
	/						
S349/062		USNZ	Rule R48: Stormwater from an individual property - permitted activity	Amend	Delete R48.	Reject	Issue 7.1 Rule R48
	/						
S350/053		Dan Riddiford	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S351/062		Tim Mansell and family	Rule R48: Stormwater from an individual property - permitted activity	Amend	Delete R48.	Reject	Issue 7.1 Rule R48
	/						
S352/105		Federated Farmers of New Zealand	Objective O48: Stormwater networks	Support	Retain	Accept in part	Issue 1.2 Objective O48
	/						
S352/166		Federated Farmers of New Zealand	Policy P76: Minimising wastewater and stormwater interactions	Support	Retain	Accept	Issue 4.1 Policy P76

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S352/188		Federated Farmers of New Zealand	Rule R48: Stormwater from an individual property - permitted activity	Amend	Amend: The discharge of stormwater into water, or onto or into land where it may enter a surface water body or coastal water, from an individual property is a permitted activity, provided the following conditions are met: [Delete conditions (a) and (e)]	Reject	Issue 7.1 Rule R48
	FS1/049	Waa Rata Estate		Support	Allow		
S352/189		Federated Farmers of New Zealand	Rule R49: Stormwater to land - permitted activity	Support	Retain	Accept	Issue 7.2 Rule R49
	/						
S353/095		Royal Forest and Bird Protection Society	Policy P76: Minimising wastewater and stormwater interactions	Support in part	Replace "minimise" with "mitigate"	Reject	Issue 4.1 Policy P76
	/						
S353/096		Royal Forest and Bird Protection Society	Policy P78: Managing stormwater from large sites	Support in part	Replace "minimise" with "mitigate"	Reject	Issue 6.2 Policy P78
	/						
S354/041		Sam Orsborn	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S355/041		Michael Hewison	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S356/041		Mike Butterick	Rule R48:	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Stormwater from an individual property - permitted activity				Rule R48
	/						
S360/041		Kyle Wells	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S361/074		Sandra Shivas	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S363/041		Gavin Bruce	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S365/103		A J Barton	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S366/007		South Wairarapa District Council	Schedule N: Stormwater management strategy	Oppose	Delete Schedule N from the Plan, including all reference to it in the Plan, instead referring as appropriate to the strategies required under the Local Government Act 2002.	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S366/020		South Wairarapa District Council	Stormwater network	Oppose	Amend the definition of "Reticulated Stormwater Network" to provide certainty and clarity to all Plan users, and recognise the differences between the operational requirements (and associated effects) of large urban stormwater networks, and the stormwater management practices in small rural townships.	Reject	Issue 3.1 Definition of stormwater network
	FS85/064	Carterton District Council		Neither support or oppose	Not stated		
S366/033		South Wairarapa District Council	Stormwater network	Oppose	Confirm that the water race network is part of the Stormwater Network for the purpose of this Plan by including "water races" in the list of devices included within the definition.	Reject	Issue 3.1 Definition of stormwater network
	FS85/063	Carterton District Council		Neither support or oppose	Not stated		
S366/060		South Wairarapa District Council	Objective O48: Stormwater networks	Oppose in part	Amend Objective O48 to read as follows: Stormwater networks and urban land uses are managed so that proven <u>inappropriate or significant</u> adverse quality and quantity effects of discharges from the networks are improved over time.	Reject	Issue 1.2 Objective O48
	/						
S366/081		South Wairarapa District Council	Policy P63: Improving water quality for contact recreation and Maori customary use	Amend	Retain the recognition that significant improvements will take time for small communities, including in particular inserting recognition that this will likely not be achieved within the lifetime of this Plan. Amend Policy 62 and 63 as [per submission page 20 and 21]	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S366/084		South Wairarapa District Council	Policy P74: First-stage local authority network consents	Oppose	Delete Policy 74	Reject	Issue 3.6 Concerns with the proposed

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
							two-staged global consenting approach
	/						
S366/085		South Wairarapa District Council	Policy P75: Second-stage local authority network consents	Oppose	Delete Policy P75	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S366/086		South Wairarapa District Council	Policy P76: Minimising wastewater and stormwater interactions	Oppose	Delete Policy P76	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S366/087		South Wairarapa District Council	Policy P78: Managing stormwater from large sites	Oppose	Rename P78 to "Managing Stormwater from a port, airport, or state highway"	Accept	Issue 6.2 Policy P78
	/						
S366/105		South Wairarapa District Council	Rule R50: Stormwater from a local authority network at plan notification - controlled activity	Oppose	a) Delete Rule R50 and R51 in their entirety and note within Method M15 that a plan change may result from the implementation of Method M15 where appropriate and necessary following its conclusion; or b) Amend Rule R50 and R51 to specifically exclude the discharge of stormwater within the Wairarapa local authority areas from the scope of the Rule, until such time as the requirements and outcomes of the working group proposed by Method M15 are known, and include a permitted activity rule	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
					for the interim period.		
	/						
S366/106		South Wairarapa District Council	Rule R51: Stormwater from a local authority network two years after public notification - restricted discretionary activity	Oppose	a) Delete Rule R50 and R51 in their entirety and note within Method M15 that a plan change may result from the implementation of Method M15 where appropriate and necessary following its conclusion; or b) Amend Rule R50 and R51 to specifically exclude the discharge of stormwater within the Wairarapa local authority areas from the scope of the Rule, until such time as the requirements and outcomes of the working group proposed by Method M15 are known, and include a permitted activity rule for the interim period.	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S366/130		South Wairarapa District Council	Method M15: Regional stormwater working group	Support	Retain the intent of Method M15, and give effect to the submissions seeking deferral of regulation relating to stormwater discharges until that collaborative process has been completed and determined the best long term strategy for the management of stormwater in smaller urban areas within the region, including the Wairarapa towns.	Accept in part	Issue 3.5 Method M15
	/						
S366/131		South Wairarapa District Council	Rule R52: Stormwater from large sites - restricted discretionary activity	Amend	Amend the heading to Rule R52 to "Stormwater from a port, airport, or state highway" to appropriately reflect the intent and scope of the rule.	Accept	Issue 6.3 Rule R52
	/						
S366/134		South Wairarapa District Council	Policy P73: Minimising adverse effects of stormwater	Oppose	[Not stated]	Reject	Issue 2.3 Policy P73

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			discharges				
	FS30/064	Masterton District Council		Support	Allow		
S366/135		South Wairarapa District Council	Policy P77: Assessing resource consents to discharge stormwater containing wastewater	Oppose	[Not stated]	Reject	Issue 4.2 Policy P77
	FS30/066	Masterton District Council		Support	Allow		
S367/007		Masterton District Council	Schedule N: Stormwater management strategy	Oppose	Delete Schedule N from the Plan, including all reference to it in the Plan, instead referring as appropriate to the strategies required under the Local Government Act 2002.	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S367/020		Masterton District Council	Stormwater network	Oppose	Amend the definition of "Reticulated Stormwater Network" to provide certainty and clarity to all Plan users, and recognise the differences between the operational requirements (and associated effects) of large urban stormwater networks, and the stormwater management practices in small rural townships.	Reject	Issue 3.1 Definition of stormwater network
	FS85/065	Carterton District Council		Neither support or oppose	Not stated		
S367/033		Masterton District Council	Stormwater network	Oppose	Confirm that the water race network is part of the Stormwater Network for the purpose of this Plan by including "water races" in the list of devices included within the definition.	Reject	Issue 3.1 Definition of stormwater network
	FS85/062	Carterton District Council		Neither support or oppose	Not stated		

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	FS71/015	Horticulture NZ		Oppose	Disallow		
S367/060		Masterton District Council	Objective O48: Stormwater networks	Oppose in part	Amend as follows: Stormwater networks and urban land uses are managed so that proven <u>inappropriate or significant</u> adverse quality and quantity effects of discharges from the networks are improved over time.	Reject	Issue 1.2 Objective O48
	/						
S367/081		Masterton District Council	Policy P63: Improving water quality for contact recreation and Maori customary use	Amend	g) stormwater management strategies having particular regard to improving water quality in fresh water bodies and coastal water identified in Schedule H2 (priority water bodies) that <u>are known to have significant adverse affects</u> by discharges from stormwater networks, and h)...(priority water bodies) that are <u>significantly</u> adversely affected...	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S367/084		Masterton District Council	Policy P74: First-stage local authority network consents	Oppose	Delete Policy 74	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S367/085		Masterton District Council	Policy P75: Second-stage local authority network consents	Oppose	Delete Policy P75	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S367/086		Masterton District Council	Policy P76: Minimising	Oppose	Delete Policy P76	Reject	Issue 3.6 Concerns

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			wastewater and stormwater interactions				with the proposed two-staged global consenting approach
	/						
S367/087		Masterton District Council	Policy P78: Managing stormwater from large sites	Oppose	Rename P78 to "Managing Stormwater from a port, airport, or state highway"	Accept	Issue 6.2 Policy P78
	/						
S367/105		Masterton District Council	Rule R50: Stormwater from a local authority network at plan notification - controlled activity	Oppose	a) Delete Rule R50 and R51 in their entirety and note within Method M15 that a plan change may result from the implementation of Method M15 where appropriate and necessary following its conclusion; or b) Amend Rule R50 and R51 to specifically exclude the discharge of stormwater within the Wairarapa local authority areas from the scope of the Rule, until such time as the requirements and outcomes of the working group proposed by Method M15 are known, and include a permitted activity rule for the interim period.	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S367/106		Masterton District Council	Rule R51: Stormwater from a local authority network two years after public notification - restricted discretionary activity	Oppose	a) Delete Rule R50 and R51 in their entirety and note within Method M15 that a plan change may result from the implementation of Method M15 where appropriate and necessary following its conclusion; or b) Amend Rule R50 and R51 to specifically exclude the discharge of stormwater within the Wairarapa local authority areas from the scope of the Rule, until such time as the requirements and outcomes of the working group proposed by Method M15 are known, and include a permitted activity rule for the interim period.	Reject	Issue 3.6 Concerns with the proposed two-staged global consenting approach
	/						
S367/130		Masterton District Council	Method M15:	Support	Retain the intent of Method M15, and give effect to the	Accept in part	Issue 3.5

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			Regional stormwater working group		submissions seeking deferral of regulation relating to stormwater discharges until that collaborative process has been completed and determined the best long term strategy for the management of stormwater in smaller urban areas within the region, including the Wairarapa towns.		Method M15
	/						
S367/131		Masterton District Council	Rule R52: Stormwater from large sites - restricted discretionary activity	Amend	Amend the heading to Rule R52 to "Stormwater from a port, airport, or state highway" to appropriately reflect the intent and scope of the rule.	Accept	Issue 6.3 Rule R52
	FS69/070	Wellington International Airport Limited		Support	Allow		
S367/135		Masterton District Council	Policy P73: Minimising adverse effects of stormwater discharges	Oppose	[Not stated]	Reject	Issue 2.3 Policy P73
	FS26/087	South Wairarapa District Council		Support	Allow		
S367/136		Masterton District Council	Policy P77: Assessing resource consents to discharge stormwater containing wastewater	Oppose	[Not stated]	Reject	Issue 4.2 Policy P77
	FS26/089	South Wairarapa District Council		Support	Allow		
S368/041		Richard Tosswill	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S369/041		Richard Wilkie	Rule R48: Stormwater from an individual	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			property - permitted activity				
	/						
S370/062		Mahaki Holdings Ltd	Rule R48: Stormwater from an individual property - permitted activity	Amend	Delete R48.	Reject	Issue 7.1 Rule R48
	FS32/055	Meridian Energy Limited		Oppose	Disallow		
S371/074		George Ritchie	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S372/074		Leo Vollebregt	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S373/041		Jamie Falloon	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S374/041		Michael Taylor	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S375/074		Graeme Hugh Tulloch	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
	/						
S376/041		James Falloon	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S377/074		Donald McCreary	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S378/074		Lewis Herrick	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S379/041		Clayton Hartnell	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S380/074		Willy and Sally Bosch	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S386/041		Shane and Geoff Wilkinson	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
S387/041		Pip Wilkinson	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S388/074		Gerard Vollebregt	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S389/041		Jeremy Bennill	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S390/074		Hayden Thurston	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S391/041		Guy Didsbury	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S392/074		Stewart Weatherstone	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S393/074		Blair Roberts	Rule R48: Stormwater from	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			an individual property - permitted activity				
	/						
S394/074		Owen Butcher	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S395/074		Daniel George	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S396/074		Bernie George	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S397/041		Mike McCreary	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S398/021		Atiawa ki Whakarongotai	Policy P73: Minimising adverse effects of stormwater discharges	Support	Retain intention of Policies P73, P74 and P75	Accept	Issue 2.3 Policy P73
	/						
S398/023		Atiawa ki Whakarongotai	Rule R51: Stormwater from a local authority network two years	Support	Retain reference to Schedules B and C, mahinga kai and Maori customary use in Rules R51, R125, R153, R155, R165	Accept in part	Issue 3.3 Second-stage local authority

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			after public notification - restricted discretionary activity				stormwater network consents
	/						
S398/029		Atiawa ki Whakarongotai	Method M15: Regional stormwater working group	Support	[Retain]	Accept	Issue 3.5 Method M15
	/						
S398/036		Atiawa ki Whakarongotai	Objective O48: Stormwater networks	Support	[Retain]	Accept in part	Issue 1.2 Objective O48
	/						
S398/039		Atiawa ki Whakarongotai	Rule R52: Stormwater from large sites - restricted discretionary activity	Support	Retain reference to Schedules B and C, mahinga kai and Maori customary use in Rules R51, R125, R153, R155, R165	Accept in part	Issue 6.3 Rule R52
	/						
S399/074		Sandy Bidwell	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S400/074		Mike Moran	Rule R48: Stormwater from an individual property - permitted activity	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48
	/						
S401/041		Joe Hintz	Rule R48: Stormwater from an individual property -	Oppose	Delete condition (a). Delete condition (e). Retain condition (g).	Accept in part	Issue 7.1 Rule R48

Submission point	Further submission point*	Submitter	Provision	Support Oppose	Decision requested	Officer recommendation	Officer comment
			permitted activity				
	/						